



# SAFETY DATA SHEET

Print date: 04/28/2016

Revision Date: 04/28/2016

Revision Number: 1

## 1. COMPANY AND PRODUCT IDENTIFICATION

### Product identifier

**Product Name:** CHRISTO-LUBE® MCG 1026

**Product code:** 016788-01

### Other means of identification

**Synonyms** No information available

### Application

**Recommended Use** Lubricant  
**Uses advised against** For industrial use only

### Supplier/Manufacturer:

**Supplier:**  
ENGINEERED CUSTOM LUBRICANTS (ECL)  
3851 Exchange Avenue  
Aurora, IL 60504 USA  
Phone: (630)449-5000  
Email: she@quakerchem.com

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is not classified under the Globally Harmonized System

### Label Elements

#### Emergency Overview

**Appearance** Colorless

**Physical State** Liquid

**Odor** Odorless

**Hazards not otherwise classified (HNOC)**

None known

**Other Information**

May be harmful if swallowed. May be harmful in contact with skin.

**Unknown acute toxicity** 0% of the mixture consists of ingredient(s) of unknown toxicity**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Components	CAS No	Weight %
Ethene, tetrafluoro-, oxidized, polymd.	69991-61-3	90 - 100%

The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES**

<b>General advice:</b>	Show this safety data sheet to the doctor in attendance Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap and water. If symptoms persist, call a physician
<b>Eye contact:</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes
<b>Skin contact:</b>	Remove and wash contaminated clothing before re-use. Wash off immediately with soap and plenty of water.
<b>Ingestion:</b>	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person
<b>Inhalation:</b>	Move to fresh air in case of accidental inhalation of vapors. If not breathing, give artificial respiration If breathing is difficult, give oxygen Consult a physician.
<b>Note to physician:</b>	Treat symptomatically.
<b>Medical condition aggravated by exposure:</b>	None known.

**5. FIRE-FIGHTING MEASURES**

<b>Suitable extinguishing media:</b>	Use dry chemical, CO2, water spray or `alcohol` foam.
<b>Specific hazards:</b>	Do not allow material to contaminate ground water system.
<b>Special protective equipment for fire-fighters:</b>	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
<b>Specific methods:</b>	Water mist may be used to cool closed containers

**6. ACCIDENTAL RELEASE MEASURES**

<b>Personal precautions:</b>	Ensure adequate ventilation. Do not breathe vapour/dust. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.
<b>Environmental precautions:</b>	Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up:</b>	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

## 7. HANDLING AND STORAGE

### Handling

**Technical measures/precautions:** Provide sufficient air exchange and/or exhaust in work rooms.

**Safe handling advice:** In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe vapors or spray mist. Wear personal protective equipment. Avoid contact with skin and eyes. Wash thoroughly after handling.

### Storage

**Technical measures/storage conditions:** Store at room temperature in the original container.

**Incompatible products:** Strong oxidizing agents

**Safe storage temperature:** 40 - 100 ° F

**Shelf life:** 60 months

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** . This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

**Engineering measures:** Ensure adequate ventilation

### Personal Protective Equipment:

**General:** Eye Wash and Safety Shower

**Respiratory protection:** If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, a NIOSH-certified respirator with organic vapor/P100 filter should be worn.

**Eye protection:** Safety glasses with side-shields

**Hand protection:** Neoprene gloves

**Skin and body protection:** Long sleeved clothing  
**Hygiene measures:** Avoid contact with skin, eyes and clothing.



**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State</b>	Liquid
<b>Appearance</b>	Colorless
<b>Odor</b>	Odorless
<b>Odor Threshold</b>	No information available
<b>pH concentrate:</b>	No information available
<b>pH Dilution</b>	No information available
<b>Melting/freezing point</b>	No information available
<b>Boiling Point/Range</b>	No information available
<b>Flash Point</b>	Not flammable
<b>Method</b>	No information available
<b>Evaporation rate</b> Evaporation rate VALUE	0.4 % 22h at 204 °C [ASTM D2595]
<b>Flammability Limits in Air</b> upper flammability limit lower flammability limit	No information available No information available
<b>VOC Content Product (lb/gal)</b>	No information available
<b>Vapor pressure</b>	< 0.00001 hPa
<b>Vapor density</b>	No information available
<b>Specific Gravity (g/cc, 15 C)</b>	No information available
<b>Density</b>	1.835 g/cc Temperature: 20 °C (68 °F)
<b>Water Solubility</b>	Insoluble
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient: n-octanol/water</b>	No information available
<b>Autoignition temperature</b>	No information available

<b>Decomposition Temperature</b>	>260 °C (500 °F)
<b>Kinematic viscosity</b>	544 cSt @ 20°C (68°F)
<b>Dynamic viscosity</b>	No information available
<b>Molecular Weight</b>	11500

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable under recommended storage conditions.
<b>Conditions to avoid:</b>	To avoid thermal decomposition, do not overheat.
<b>Materials to avoid:</b>	Strong or non-aqueous alkali or Lewis acids above 100 °C. Avoid contact with metals such as: Zinc. Aluminum powders. Magnesium powders, Potassium. Sodium.
<b>Hazardous decomposition products:</b>	Thermal decomposition of this product will generate gaseous hydrogen fluoride (HF), which is corrosive and can cause burns and other fluorinated compounds.
<b>Hazardous Polymerization:</b>	Not applicable.

## 11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

### Information on likely routes of exposure

<b>Inhalation</b>	May cause irritation of respiratory tract.
<b>Eye Contact</b>	Contact with eyes may cause irritation.
<b>Skin Contact</b>	Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Components	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethene, tetrafluoro-, oxidized, polymd.	-	-	-

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen

Components	IARC Carcinogens	NTP	OSHA - Select Carcinogens
Ethene, tetrafluoro-, oxidized, polymd.	Not listed	Not listed	Not listed

**Sensitization** No information available.

**Mutagenic effects:** No information available.

<b>Reproductive Toxicity</b>	No information available.
<b>Developmental Toxicity</b>	No information available.
<b>Teratogenic</b>	No information available.
<b>Specific target organ systemic toxicity (single exposure)</b>	No information available.
<b>Specific target organ systemic toxicity (repeated exposure)</b>	No information available.
<b>Aspiration hazard</b>	No information available.

**Additional information on toxicological effects**

No information available

**12. ECOLOGICAL INFORMATION**

Components	Ecotoxicity - Fish Species Data:	Ecotoxicity - Freshwater Algae Data:	Ecotoxicity - Water Flea Data:
Ethene, tetrafluoro-, oxidized, polymd.	No data	No data	No data

0% of the mixture consists of component(s) of unknown hazards to the aquatic environment

**Persistence and Degradability** No information available.

**Bioaccumulation** No information available.

Components	Octanol/water partition coefficient
Ethene, tetrafluoro-, oxidized, polymd.	-

**Mobility:** No data available

**Ozone:** No data available

**13. DISPOSAL CONSIDERATIONS**

**Waste from residues/unused products:** Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

**Contaminated packaging:** Do not re-use empty containers

**Methods for cleaning up:** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust) Sweep up and shovel into suitable containers for disposal

**14. TRANSPORT INFORMATION**

**U. S. DEPARTMENT OF TRANSPORTATION:**

Proper shipping name: Not Regulated

**TDG (CANADA):**

Proper shipping name: Not Regulated

**IMDG/IMO:**

Proper shipping name: Not Regulated

**IATA/ICAO:**

Proper shipping name: Not Regulated

**15. REGULATORY INFORMATION**

**Federal Regulations**

**OSHA Hazard Communication Standard:** This product is considered non-hazardous under the OSHA Hazard Communication Standard.

**CERCLA/SARA Information:**

**SARA (311, 312) hazard class:** This product possesses the following SARA Hazard Categories:

- Immediate Health (Acute): No
- Delayed Health (Chronic): No
- Flammability: No
- Pressure: No
- Reactivity: No

Components	Hazardous Substances and RQs	Extremely Hazardous Substances and TPQs	SARA 313 Emission Reporting
Ethene, tetrafluoro-, oxidized, polymd.	Not listed	Not listed	Not listed

**Clean Air and Clean Water Acts:**

Components	Hazardous Air Pollutants	CWA - Hazardous Substances	CWA - Toxic Pollutants	CWA - Priority Pollutants
Ethene, tetrafluoro-, oxidized, polymd.	Not listed	Not listed	Not listed	Not listed

**U.S. STATE REGULATIONS (RTK):**

Components	California Proposition 65	PARTK	MI Critical Materials	NJRTK	MARTK
Ethene, tetrafluoro-, oxidized, polymd.	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed

**California Proposition 65 Status:** No components are listed

**RCRA Status:** Not regulated

**CANADIAN REGULATIONS:**

Components	CEPA Schedule I	Challenge Substances
Ethene, tetrafluoro-, oxidized, polymd.	Not listed	Not listed

**INVENTORY STATUS:**

**United States TSCA Inventory:** This product complies with TSCA

**Canada DSL/NDSL Inventory List** All components are on the NDSL

**16. OTHER INFORMATION**

**Sources of key data used to compile the data sheet:** Material safety data sheets of the ingredients.

**Prepared by:** Quaker Chemical Corporation -Safety, Health and Environmental Affairs Group - US

**Revision Date:** 04/28/2016

**Reason for revision:** New formulation.

**Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.**

**Disclaimer**

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

**End of Safety Data Sheet**