

SAFETY DATA SHEET

Print date: 04/19/2016

Revision Date: 04/19/2016

Revision Number: 1

1. COMPANY AND PRODUCT IDENTIFICATION

Product identifier

Product Name: EVOLUBE 717

Product code: 016524-01

Other means of identification

Synonyms No information available

Application

Recommended Use Lubricating Oil

Uses advised against For industrial use only

Supplier/Manufacturer:

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Skin Sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1
Flammable liquids	Category 2

Label Elements

Emergency Overview

DANGER

Hazard Statements

Causes skin irritation
May cause an allergic skin reaction
May cause respiratory irritation. May cause drowsiness or dizziness
Very toxic to aquatic life with long lasting effects
May be fatal if swallowed and enters airways
Highly flammable liquid and vapor



Appearance Hazy, Blue

Physical State Liquid

Odor Solvent

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Avoid breathing dust/fume/gas/mist/vapors/spray
Contaminated work clothing should not be allowed out of the workplace
Use only outdoors or in a well-ventilated area
Avoid release to the environment

Precautionary Statements - Response

Specific treatment (see First Aid on this label)
IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do not induce vomiting
Collect spillage

Precautionary Statements - Storage

Store locked up
Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None known

Other Information

May be harmful if swallowed.

Unknown acute toxicity 1.47% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS No	Weight %
2,2,4 -TRIMETHYLPENTANE	540-84-1	50 - 60%
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	64741-66-8	5 - 10%
1-Naphthalenamine, N-phenyl-	90-30-2	<1%

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

General advice:	Show this safety data sheet to the doctor in attendance Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap and water. If symptoms persist, call a physician
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes
Skin contact:	Remove and wash contaminated clothing before re-use. Wash off immediately with soap and plenty of water.
Ingestion:	If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person
Inhalation:	Move to fresh air in case of accidental inhalation of vapors. If not breathing, give artificial respiration If breathing is difficult, give oxygen Consult a physician.
Note to physician:	Treat symptomatically.
Medical condition aggravated by exposure:	None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Use dry chemical, CO2, water spray or `alcohol` foam.
Specific hazards:	Do not allow material to contaminate ground water system.
Special protective equipment for fire-fighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
Specific methods:	Water mist may be used to cool closed containers

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Ensure adequate ventilation. Do not breathe vapour/dust. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.
Environmental precautions:	Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.
Methods for cleaning up:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling

Technical measures/precautions:	Provide sufficient air exchange and/or exhaust in work rooms.
Safe handling advice:	In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe

vapors or spray mist. Wear personal protective equipment. Avoid contact with skin and eyes. Wash thoroughly after handling.

Storage

Technical measures/storage conditions: Store at room temperature in the original container.

Incompatible products: Strong oxidizing agents

Safe storage temperature: 40 - 100 ° F

Shelf life: 36 months

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	ACGIH Exposure Limits	OSHA TWA (final)	NIOSH - Pocket Guide
2,2,4 -TRIMETHYLPENTANE	300 ppm (TWA)	500 ppm	None
Mineral Oil*	5 mg/m ³	5mg/m ³	5mg/m ³

Engineering measures: Ensure adequate ventilation

Personal Protective Equipment:

General: Eye Wash and Safety Shower

Respiratory protection: If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, a NIOSH-certified respirator with organic vapor/P100 filter should be worn.

Eye protection: Safety glasses with side-shields

Hand protection: Neoprene gloves

Skin and body protection: Long sleeved clothing

Hygiene measures: Avoid contact with skin, eyes and clothing.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Hazy, Blue
Odor	Solvent
Odor Threshold	No information available
pH concentrate:	No information available

pH Dilution	No information available
Melting/freezing point	No information available
Boiling Point/Range	No information available
Flash Point	-7.78 °C / 18 °F
Method	No information available
Evaporation rate	No information available
Flammability Limits in Air	
upper flammability limit	No information available
lower flammability limit	No information available
VOC Content Product (lb/gal)	No information available
Vapor pressure	No information available
Vapor density	No information available
Specific Gravity (g/cc, 15 C)	No information available
Density @ 25 ° C. (g/cc):	0.77
Bulk Density @ 77° F. (lb/gal):	5.84
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient: n-octanol/water	No information available
Autoignition temperature	No information available
Decomposition Temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	No information available
Molecular Weight	No information available

10. STABILITY AND REACTIVITY

Stability:	Stable under recommended storage conditions.
Conditions to avoid:	Heat, flames and sparks.
Materials to avoid:	Strong oxidizing agents.
Hazardous decomposition products:	None under normal use.
Hazardous Polymerization:	Not applicable.

11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye Contact	Contact with eyes may cause irritation.
Skin Contact	Irritating to skin. May cause sensitization by skin contact.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Components	LD50 Oral	LD50 Dermal	LC50 Inhalation
2,2,4 -TRIMETHYLPENTANE	> 2500 mg/kg (Rat) Oral LD50 Rat >2500 mg/kg (Source: IUCLID)	-	= 47.4 mg/L (Rat) 1 h Inhalation LC50 Rat 47.4 mg/L 1 h (Source: IUCLID)
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	> 7000 mg/kg (Rat) Oral LD50 Rat >7000 mg/kg (Source: IUCLID)	> 2000 mg/kg (Rabbit) Dermal LD50 Rabbit >2000 mg/kg (Source: IUCLID)	> 6.31 mg/L (Rat) 4 h Inhalation LC50 Rat >6.31 mg/L 4 h (no deaths occurred, Source: EPA_HPV)
1-Naphthalenamine, N-phenyl-	= 1625 mg/kg (Rat) Oral LD50 Rat 1625 mg/kg (Source: NLM_CIP)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

Components	IARC Carcinogens	NTP	OSHA - Select Carcinogens
2,2,4 -TRIMETHYLPENTANE	Not listed	Not listed	Not listed
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	Not listed	Not listed	Not listed
1-Naphthalenamine, N-phenyl-	Not listed	Not listed	Not listed

Sensitization	Product contains a component that is classified as a skin sensitizer. No studies have been conducted on the product itself.
Mutagenic effects:	No information available.
Reproductive Toxicity	No information available.
Developmental Toxicity	No information available.
Teratogenic	No information available.
Specific target organ systemic toxicity (single exposure)	No information available.

Specific target organ systemic toxicity (repeated exposure) No information available.

Aspiration hazard May be fatal if swallowed and enters airways. Risk of serious damage to the lungs (by aspiration).

Additional information on toxicological effects
No information available

12. ECOLOGICAL INFORMATION

Components	Ecotoxicity - Fish Species Data:	Ecotoxicity - Freshwater Algae Data:	Ecotoxicity - Water Flea Data:
2,2,4 -TRIMETHYLPENTANE	No data	No data	No data
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	No data	=2mg/L = 30000 mg/L EC50	No data
1-Naphthalenamine, N-phenyl-	LC50 (Oncorhynchus mykiss - 96) = 0.74 mg/l LC50 (Lepomis macrochirus - 96h) = 0.82 mg/l	EC50 (Scenedesmus subspicatus - 72h) = 0.25 mg/l	EC50 (Daphnia magna - 48h) = 0.68 mg/l

1.47% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and Degradability No information available.

Bioaccumulation No information available.

Components	Octanol/water partition coefficient
2,2,4 -TRIMETHYLPENTANE	-
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	-
1-Naphthalenamine, N-phenyl-	-

Mobility: No data available

Ozone: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products: Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging: Do not re-use empty containers

Methods for cleaning up: Take up mechanically and collect in suitable container for disposal.

14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

UN/NA ID Number: UN1268
Proper shipping name: Petroleum Distillates, N.O.S. (Octanes)
Hazard class: 3
PG: II
RQ 2,2,4-Trimethylpentane, RQ kg= 821
DOT ERG: 128
Marine pollutant: MARINE POLLUTANT

TDG (CANADA):

UN nr: UN1268
Proper shipping name: Petroleum Distillates, N.O.S. (Octanes)
TDG Hazard Classification: 3
Packing group: II

IMDG/IMO:

UN nr: UN1268
Proper shipping name: Petroleum Distillates, N.O.S. (Octanes)
Class: 3
Packing group: II
EMS: F-E, S-E
Limited quantity: 1 L
Marine pollutant: Marine Pollutant

IATA/ICAO:

UN nr: UN1268
Proper shipping name: Petroleum Distillates, N.O.S. (Octanes)
Hazard Class: 3
Packing group: II
Maximum quantity for cargo only: 60 L
Maximum quantity for passenger: 5 L
Limited quantity: 1 L
Marine pollutant: Marine Pollutant

15. REGULATORY INFORMATION

Federal Regulations

OSHA Hazard Communication Standard: This product is considered to be hazardous under the OSHA Hazard Communication Standard.

CERCLA/SARA Information:

SARA (311, 312) hazard class: This product possesses the following SARA Hazard Categories:

Immediate Health (Acute): Yes
Delayed Health (Chronic): Yes
Flammability: Yes
Pressure: No
Reactivity: No

Components	Hazardous Substances and RQs	Extremely Hazardous Substances and TPQs	SARA 313 Emission Reporting
2,2,4 -TRIMETHYLPENTANE	1000 lb	Not listed	Not listed
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	Not listed	Not listed	Not listed
1-Naphthalenamine, N-phenyl-	Not listed	Not listed	Not listed

Clean Air and Clean Water Acts:

Components	Hazardous Air Pollutants	CWA - Hazardous Substances	CWA - Toxic Pollutants	CWA - Priority Pollutants
2,2,4 -TRIMETHYLPENTANE	Present	Not listed	Not listed	Not listed
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	Not listed	Not listed	Not listed	Not listed
1-Naphthalenamine, N-phenyl-	Not listed	Not listed	Not listed	Not listed

U.S. STATE REGULATIONS (RTK):

Components	California Proposition 65	PARTK	MI Critical Materials	NJRTK	MARTK
2,2,4 -TRIMETHYLPENTANE	Not Listed	Present	Not Listed	1061	Present
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
1-Naphthalenamine, N-phenyl-	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed

California Proposition 65 Status: May contain trace amounts of listed chemicals: Naphthalene

RCRA Status: Not regulated

CANADIAN REGULATIONS:

Components	CEPA Schedule I	Challenge Substances
2,2,4 -TRIMETHYLPENTANE	Not listed	Not listed
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	Not listed	Not listed
1-Naphthalenamine, N-phenyl-	Not listed	Not listed

INVENTORY STATUS:

United States TSCA Inventory: This product complies with TSCA

Canada DSL/NDSL Inventory List At least one component is not listed on the DSL or NDSL

16. OTHER INFORMATION

Sources of key data used to compile Material safety data sheets of the ingredients.
the data sheet:

Prepared by: Quaker Chemical Corporation -Safety, Health and Environmental Affairs Group - US

Revision Date: 04/19/2016

Reason for revision: New formulation.

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

End of Safety Data Sheet