

## **Material Safety Data Sheet**

#### Innovation and Experience at Work

### **EvoLube 1219**

1.	Substance, Preparation, and Co	Substance, Preparation, and Company Description		
	Material Uses	Lubricant, Grease, Industrial applications		
		Engineered Custom Lubricants (ECL)		
	Manufacturer	3851 Exchange Ave.		
	Wallulactulei	Aurora, IL 60504		
		630-449-5000		
	Product Code	EvoLube 1219		
	Validation Date	July 31, 2014		
	In case of emergency contact	1-630-449-5000		
2.	Hazards Identification			
	Trazar do racitamoation	Emergency Overview		
	Physical State	Semi-solid, grease		
	Color	Blue		
	Odor	Mild petroleum odor		
	Hazard Statements	NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.		
	OSHA/HCS Status	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of the product.		
	Routes of Entry	Dermal contact. Eye contact. Ingestion		
	•	Potential acute health effects		
	Inhalation	No known significant effects or critical hazards.		
	Ingestion	No known significant effects or critical hazards.		
	Skin	No known significant effects or critical hazards.		
	Eyes	No known significant effects or critical hazards.		
	Pe	otential chronic health effects		
	Chronic effects	No known significant effects or critical hazards.		
	Carcinogenicity	No known significant effects or critical hazards.		
	Mutagenicity	No known significant effects or critical hazards.		
	Teratogenicity	No known significant effects or critical hazards.		
	Fertility effects	No known significant effects or critical hazards.		
	Developmental effects	No known significant effects or critical hazards.		
	Ov	ver-exposure signs/symptoms		
		· · · · · · · · · · · · · · · · · · ·		

	Inhalation	No specific data
	Ingestion	No specific data
	Skin	No specific data
	Eyes	No specific data
	Medical conditions aggravated by over-	None known
	exposure	
3.	Composition/Component Data	
		No hazardous ingredients
	'	No flazardous irigi edients
4	First Aid Massures	
4.	First Aid Measures	Olask formal annual and the same fortal floridation
	Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.
	Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms occur.
	Inhalation	Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt, or waistband. Get medical attention if symptoms occur.
	Ingestion	Wash out mouth with water. Do not induce vomiting unless directed to do so my medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
	Protection for first-aiders	No action shall be taken involving any personal risk or without suitable training.
	Note to Physician	No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
5.	Firefighting Measures	
J.	Suitable Extinguishing Media	Dry Chemical, CO <sub>2</sub> , Foam. or Water Fog
	Special Exposure Hazards	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Hazardous thermal decomposition products	Burning may produce carbon monoxide, carbon dioxide, formaldehyde, as well as small amounts of other toxic fumes.
	Special protective equipment for firefighters	Fire-fighters should wear protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
6.	Accidental Release Measures	
	Personal Precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protection equipment (see Section 8).
	Environmental Precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).

	Methods for Clean up	Small spill: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.  Large spill: Move containers from spill area. Prevent entry into sewers, water courses, basements, or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: See section 1 for emergency contact information and section 13 for waste disposal.
7.	Handling and Storage	
7.	Tranding and Storage	Put on appropriate personal protection equipment (see section 8).
	Handling	Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas.
	Storage	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool, and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
0	Experience Limits and Baycanal Busto	

# 8. Exposure Limits and Personal Protective Equipment United States

Occupational E	Exposure Limits	
Ingredient	Exposure Limits	
Distillates (petroleum), solvent-refined heavy Paraffinic	ACGIH TLV (United States, 6/2013). TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction NIOSH REL (United States, 4/2013). TWA: 5 mg/m³ 10 hours. Form: Mist STEL: 10 mg/m³ 15 minutes. Form: Mist OSHA PEL (United States, 2/2013). TWA: 5 mg/m³ 8 hours.	
Calcium carbonate	OSHA PEL (United States, 2/2013). TWA: 5 mg/m³ 8 hours. Form: Respirable fraction TWA: 15 mg/m³ 8 hours. Form: Total dust	
Residual oils (petroleum,) solvent-refined	ACGIH TLV (United States, 6/2013).  TWA: 5 mg/m³ 8 hours. Form: Inhalable fraction  NIOSH REL (United States, 4/2013).  TWA: 5 mg/m³ 10 hours. Form: Mist  STEL: 10 mg/m³ 15 minutes. Form: Mist  OSHA PEL (United States, 2/2013).  TWA: 5 mg/m³ 8 h	

	Recommended Monitoring Procedures	If this product contains ingredients with exposure limits, personal, workplace, atmosphere, or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
	Engineering Measures	No specific ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
	Hygiene Measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking or using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
	D	ersonal Protection
	<u></u>	Use properly fitted, air-purifying or air fed respirator complying with
	Respiratory	an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands		Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
	Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposures to liquid splashes, mists, or dusts.
	Skin	Personal protection equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
	Environmental Exposure Controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements or environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
9.	Physical and Chemical Properties	
	Physical State	Semi-solid, grease
	Flash Point	Not Available
	Auto-ignition Temperature	Not Available
	Flammable Limits	Not Available
	Color	Blue
	Odor	Mild petroleum odor
	pH	Not Available
	Boiling/condensation Point	Not Available
	Melting/freezing Point	Not Available
	Density	0.90-0.92 g/cm <sup>3</sup> Not Available
	Vapor Pressure	Not Available  Not Available
	Vapor Density Volatility	Not Available  Not Available
	Evaporation Data	Not Available  Not Available
	Viscosity	Not Available  Not Available
	Dispensability Properties	Not Available  Not Available
	Solubility	Insoluble in the following materials: hot and cold water
	Physical/chemical Properties Comments	Not Available
	i ilyolouronionnour i roportico commento	TTOTATIONOU

	Stability and reactivity							
	Chemical Stability		The prod	uct is stable				
	Conditions to avoid		No specific data					
	Incompatible Materials		,					
	Hazardous Decomposition P	Products					use, hazard	
ļ						ot be produced.		
	Possibility of Hazardous Rea	actions	Under normal conditions of storage and use, hazardous reactions will not occur.					
	Toxicological Data							
	Acute Toxicity: None known							
			United States			I		
	Product/Ingredient Nan		sult	Spec		Dose	Exposure	
	Calcium carbonate	D50	) Oral	Rat		6450 mg/kg		
	Irritation/Corrosion	Skin: No known significant effects or cri  Eyes: No known significant effects or cri  Respiratory: Repeated or prolonged ex			cts or critical hazard	ls.		
ŀ				respiratory to		n is available reg	ording the	
						oduct. Sensitization		
	Sensitizer		humans.	• • • • • • • • • • • • • • • • • • • •				
					_			
					expected for human			
	Carcinogenicity	There is no data on the preparation itself. Carcinogenicity is suspected for humans.						
	Market		There is no data on the preparation itself. Mutagenicity					
	Mutagenicity		suspected for humans.					
	Teratogenicity	enicity		There is no data on the preparation itself. Teratogenicity suspected for humans.				
						aration itself. Not o	onsidered to	
	Reproductive Toxicity			is to human				
	Ecological Data							
	Ecotoxicity			ly biodegrad	lable			
			United	States				
	Product/ingredient name	R	Result			Species	Exposur	
	Calcium Carbonate	Acute LC50 560	000 ppm Fre			nbusia affinis – Adult	96 hours	
		Chronic NOEC	onic NOEC 61 mg/g Fresh water Fish - Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling)			28 days		
	Aquatic Ecotoxicity					e preparation itself		
						sted for biodegrada		
	Persistence/Degradability			dable.  This ood chains i		is not expected to	bioacculur	
			i inrouan t	ooa chains i	n me envir	onnent.		

13.	Disposal Cons	siderations						
	Waste Disposal			possible. S be dispose effluent tre products v product, so with the disposal le Waste pac only be cor it's contain or liners m	significant quaded of via the eatment plantia a licensed plutions, and requirement gislation and kaging shout a must be contain erial and run	antities of was e foul sewer at. Dispose of waste dispose any by-production of environmany regional did be recycled in recycling is disposed of in some production.	ste product re but process of surplus ar sal contractor octs should an ental protect or local author on local author not feasible. a safe way. t residues. A	nimized whereversidues should no sed in a suitable of non-recyclable or. Disposal of this tall times comply ction and waste or landfill should This material and Empty containers avoid dispersal ovaterways, drains
	Disposal sho	ould be in acc	cordance with			ional, and lo	cal laws and	regulations
	Disposal should be in accordance with Refer to Section 7: HANDLING AND ST PROTECTIVE EQUIPMENT for additional processing statements of the process of the			ORAGE and	Section 8:	EXPOSURE L	IMITS AND	PERSONAL
14.	Transportation	n Informati	on					
	ulatory	UN Number	Proper Shipp	oing Name	Classes	Packing Group	Label	Additional Information
DOT	Classification	Not Regulated				•		
TDG	Classification	Not Regulated						
Mexi	ico Classification	Not Regulated						
ADR	/RID Class	Not Regulated						

15.	Regulatory Information	
		United States
	HSC Classification	Not Regulated
	TSCA 8(a) IUR Exempt/Partial Exemption	Not Determined
	United States Inventory (TSCA 8b)  All components are listed or exempt	
	Clean Air Act Section 112(b) – Hazardous Air Pollutants (HAP'S)	Not listed

#### SARA 313: No listed substances

Not Regulated

Not Regulated

IMDG Class

IATA-DGR Class

	Product Name	CAS Number	Concentration %
Form R Reporting			
Requirements			
Supplier Notification			
		l	

	Other Information				
	Labeling Requirements	NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED			
		HEALTH	1	HMIS Ratings are base	
	Hazardous Material Information System (USA)	FLAMMABILITY	1	on a 0-4 scale, with 0	
		REACTIVITY	0	representing minimal hazards or risks, and 4	
		PERSONAL PROTECTION	В	representing significa hazards or risks.	
	The customer is responsib	le for determining the PPE of	anda for th		
	Date of Issue	July 31, 2014	oue ioi iii	is ilialerial.	
	Version	1			
	Changes from Previous Version	No			
ı	Prepared by:	ECL Research and Development Department			

**Notice to reader:** Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user and WE EXPRESSLY DISCLAIM ALL WARRANTIES OF EVERY KIND AND NATURE, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IN RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. Appropriate warnings and safe handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Engineered Custom Lubricants assumes no responsibility for accuracy of information unless the document is the most current available from an official Engineered Custom Lubricants source. Engineered Custom Lubricants neither represents nor warrants that the format, content or product formulas contained in this document comply with the laws of any other country except the United States of America.