

Material Safety Data Sheet

Innovation and Experience at Work

IsoTech 716

1.	Substance, Preparation, and Company Description		
	Material Uses	Lubricant, Grease, Industrial applications	
		Engineered Custom Lubricants (ECL)	
	Manufacturer	3851 Exchange Ave.	
	Managara	Aurora, IL 60504	
		630-449-5000	
	Product Code	IsoTech 716	
	Validation Date	October 10, 2014	
	In case of emergency contact	1-630-449-5000	
2.	Hazards Identification		
		Emergency Overview	
	Physical State	Liquid, lubricant	
	Color	Amber	
	Odor	Characteristic odor	
	Hazard Statements	NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.	
	OSHA/HCS Status	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of the product.	
	Routes of Entry	Dermal contact. Eye contact. Ingestion	
	-	Potential acute health effects	
	Inhalation	No known significant effects or critical hazards.	
	Ingestion	No known significant effects or critical hazards.	
	Skin	No known significant effects or critical hazards.	
	Eyes	No known significant effects or critical hazards.	
	Pe	otential chronic health effects	
	Chronic effects	No known significant effects or critical hazards.	
	Carcinogenicity	No known significant effects or critical hazards.	
	Mutagenicity	No known significant effects or critical hazards.	
	Teratogenicity	No known significant effects or critical hazards.	
	Fertility effects	No known significant effects or critical hazards.	
	Developmental effects	No known significant effects or critical hazards.	
	O ₁	ver-exposure signs/symptoms	

	Inhalation	No specific data		
	Ingestion	No specific data		
	Skin	No specific data		
	Eyes	No specific data		
	Medical conditions aggravated by over-	None known		
	exposure	TAOTIC KHOWII		
	exposure			
3.	Composition/Component Data			
ა.	Composition/Component Data			
	Name	CAS Number EINECS Number %		
	No Haza	ardous or Reportable Ingredients		
4.	First Aid Measures			
		Check for and remove any contact lenses. Immediately flush eyes		
	Eye Contact	with plenty of water for at least 15 minutes, occasionally lifting the		
		upper and lower eyelids. Get medical attention if symptoms occur.		
		In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.		
	Skin Contact	Wash clothing before reuse. Get medical attention if symptoms		
		occur.		
		Move exposed person to fresh air. If not breathing, if breathing is		
		irregular or if respiratory arrest occurs, provide artificial respiration		
	Inhalation	or oxygen by trained personnel. Loosen tight clothing such as a		
		collar, tie, belt, or waistband. Get medical attention if symptoms		
		occur.		
		Wash out mouth with water. Do not induce vomiting unless directed		
	Ingestion	to do so my medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.		
	Protection for first-aiders	No action shall be taken involving any personal risk or without		
		suitable training.		
	Note to Dhysician	No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been		
	Note to Physician	ingested or inhaled.		
		ingested of initialed.		
5.	Firefighting Measures			
<u> </u>	Suitable Extinguishing Media	Dry Chemical, CO _{2.} Foam. or Water Fog		
	Cultubio Extinguiorini g modia	Promptly isolate the scene by removing all persons from the vicinity		
	Special Exposure Hazards	of the incident if there is a fire. No action shall be taken involving		
		any personal risk or without suitable training.		
	Hazardous thermal decomposition	Burning may produce carbon monoxide, carbon dioxide,		
	products	formaldehyde, as well as small amounts of other toxic fumes.		
	Special protective equipment for	Fire-fighters should wear protective equipment and self-contained		
		breathing apparatus (SCBA) with a full face-piece operated in		
	firefighters	positive pressure mode.		
6.	Accidental Release Measures			
		No action shall be taken involving any personal risk or without		
	Barranal Brassa (f	suitable training. Evacuate surrounding areas. Keep unnecessary		
	Personal Precautions	and unprotected personnel from entering. Do not touch or walk		
		through spilled material. Put on appropriate personal protection		
		equipment (see Section 8).		

	Environmental Precau	utions	waterways, drains,	and sewers. Inform the	off and contact with soil, relevant authorities if the on (sewers, waterways,
	Methods for Clean up		Small spill: Move of material and place Dispose of via a lice Large spill: Move sewers, water cour sweep up material container. Dispose	e in a designated, la ensed waste disposal co containers from spill a ses, basements, or cor I and place in a des of via a licensed wa I for emergency contact	a. Vacuum or sweep up beled waste container. ntractor. area. Prevent entry into fined areas. Vacuum or signated, labeled waste ste disposal contractor. information and section
7.	Handling and Stor	rage			
	Handling		Eating, drinking, and this material is had wash hands and	d smoking should be p ndled, stored, and prod face before eating, o ated clothing and prote	uipment (see section 8). rohibited in areas where essed. Workers should drinking, and smoking. ective equipment before
	Storage		container protected ventilated area, awa and food and drink ready for use. Cont resealed and kept	from direct sunlight in ay from incompatible m. Keep container tightly ainers that have been of upright to prevent leaders. Use appropriate	ions. Store in original a dry, cool, and well-aterials (see section 10) closed and sealed until pened must be carefully akage. Do not store in containment to avoid
8.	Exposure Limits a	and Personal Prote	⊥ ective Eauipment		
			United States		
		Ingredient Occ	upational Exposure I	<u>-imits</u> Exposure Lir	nits
	Canada				
	Ingredient	List Name	upational Exposure I TWA (8 Hours)	STEL (15 mins)	Ceiling
			Mexico		
	Occu		upational Exposure I	imits	
		Ingredient		Exposure Lir	nits
			<u> </u>		
	Recommended Monit	oring Procedures	workplace, atmosph determine the effe	nere, or biological monit ectiveness of the vent	oring may be required to illation or other control e respiratory protective
	Engineering Measure	s	No specific ventile should be sufficie contaminants. If the	ent to control worker is product contains in	ood general ventilation exposure to airborne gredients with exposure aust ventilation or other

		Mach hands foregrees and fore the second to the first of
	Hygiene Measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking or using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
	Personal Protection	
	Respiratory	Use properly fitted, air-purifying or air fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
	Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
	Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposures to liquid splashes, mists, or dusts.
	Skin	Personal protection equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
	Environmental Exposure Controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements or environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
9.	Physical and Chemical Properties	
9.	Physical State	Liquid, lubricant
	Flash Point	Not Available
		Not Available Not Available
	Auto-ignition Temperature Flammable Limits	Not Available Not Available
	Color	Amber
	Odor	Characteristic odor
	pH	Not Available
	Boiling/condensation Point	Not Available Not Available
	Melting/freezing Point	Not Available Not Available
	Density	0.8 g/cm ³
	Vapor Pressure	Not Available
	Vapor Pressure Vapor Density	Not Available
	Volatility	Not Available
	Evaporation Data	Not Available
	Viscosity	Not Available
	Dispensability Properties	Not Available
	Solubility	Insoluble in the following materials: hot and cold water
	Physical/chemical Properties Comments	Not Available
10.	Stability and reactivity	
	Chemical Stability	The product is stable
	Conditions to avoid	No specific data
	Incompatible Materials	No specific data
	Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition product should not be produced.
I	Possibility of Hazardous Reactions	Under normal conditions of storage and use, hazardous reactions
	Possibility of Hazardous Reactions	will not occur.

11.	Toxicological Data					
	Acute Toxicity: None known United States					
	Product/Ingredient Name	Result	Species	Dose	Exposure	
	_					
		Ca	anada			
	Product/Ingredient Name	Result	Species	Dose	Exposure	
			exico			
	Product/Ingredient Name	Result	Species	Dose	Exposure	
		Danast	ad or prolonged over	ocure to enroy or	miet meu preduee	
	Chronic Toxicity		ed or prolonged exp ory tract irritation.	osule to spray of	mist may produce	
		Skin: N	o known significant e	ffects or critical haza	ards.	
	Irritation/Corrosion	Eyes: N	lo known significant e	ffects or critical haza	ards.	
	irritation/corrosion	Booming	otawa Danastad ar nr	rolonged evineeure to	annou or miet meu	
			atory: Repeated or pre- e respiratory tract irrita		spray or mist may	
		Skin:	No specific informa	tion is available re		
	Sensitizer	sensitiz	ing properties of this	product. Sensitization	on not expected for	
		Baanin		-		
	Operation and resistant		atory: Sensitization notice is			
	Carcinogenicity	suspect	ed for humans.	•	g ,	
	Mutagenicity	There is no data on the preparation itself. suspected for humans.		Mutagenicity not		
	Teratogenicity	There	is no data on the	preparation itself.	Teratogenicity not	
			ed for humans. s no data on the pr	eparation itself. Not	t considered to be	
	Reproductive Toxicity		ous to humans.	<u> </u>		
12.	Ecological Data					
	Ecotoxicity Not readily biodegradable United States					
	Aquatic Ecotoxicity	cotoxicity There is no data available on the preparation itself		If		
			This product has not been tested for biodegradation. Not biodegradable. This product is not expected to bioaccul			
	Persistence/Degradability		food chains in the en		to bloacculumate	
		Canada				
	Aquatic Ecotoxicity		s no data available on	the preparation itse	If	
		This pro	oduct has not been	tested for biodegra	dation. Not readily	
	Persistence/Degradability		adable. This product food chains in the en		to bioacculumate	
			exico			
	Aquatic Ecotoxicity		s no data available on	the preparation itse	If	
		This pro	oduct has not been	tested for biodegra	dation. Not readily	
	Persistence/Degradability		adable. This product food chains in the en		to bioacculumate	
		unough	1000 GIAIIIS III LIIE EI	vii Oi II I GIII.		

13.	Disposal Considerations		
	Waste Disposal	The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions, and any by-products should at all times comply with the requirement of environmental protection and waste disposal legislation and any regional or local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and it's container must be disposed of in a safe way. Empty containers or liners may contain some product residues. Avoid dispersal of spilled material and run-off and contact with soil, waterways, drains, and sewers.	
	Disposal should be in accordance with applicable regional, national, and local laws and regulations Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE LIMITS AND PERSONAL PROTECTIVE EQUIPMENT for additional handling information and protection of employees.		
14.	Transportation Information		

Regulatory UN **Proper Shipping Name** Classes Packing Label Additional Information Number Group Information **DOT Classification** Not Regulated **TDG Classification** Not Regulated **Mexico Classification** Not Regulated ADR/RID Class Not Regulated IMDG Class Not Regulated **IATA-DGR Class** Not Regulated

<i>15.</i>	Regulatory Information	
		United States
	HSC Classification	Not Regulated
	TSCA 8(a) IUR Exempt/Partial Exemption	Not Determined
	United States Inventory (TSCA 8b)	All components are listed or exempt
	Clean Air Act Section 112(b) – Hazardous Air Pollutants (HAP'S)	Not listed

SARA 313: No listed substances

	Product Name	CAS Number	Concentration %
Form R Reporting			
Requirements			
Supplier Notification			
	L		l .

		Canada			
	WHMIS (Canada)	Not controlled under WHMIS (Canada)			
	Canadian NPRI	None of the components are listed			
	CEPA Toxic Substances	None of the components are listed			
	Canada Inventory	All components are listed or exempted			
	Mexico				
	Classification	Health: 1 Flammability: 1 Reactivity: 0			
16.	Other Information				
	Labeling Requirements	NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED			
	Hazardous Material Information System (USA)	HEALTH 1 FLAMMABILITY 1 REACTIVITY 0 PERSONAL PROTECTION HMIS Ratings are based on a 0-4 scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks.			
	The customer is responsible for determining the PPE code for this material.				
	Date of Issue	October 10, 2014			
	Version	2			
	Changes from Previous Version	Yes			
	Prepared by:	ECL Research and Development Department			

Notice to reader: Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user and WE EXPRESSLY DISCLAIM ALL WARRANTIES OF EVERY KIND AND NATURE, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IN RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. Appropriate warnings and safe handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Engineered Custom Lubricants assumes no responsibility for accuracy of information unless the document is the most current available from an official Engineered Custom Lubricants source. Engineered Custom Lubricants neither represents nor warrants that the format, content or product formulas contained in this document comply with the laws of any other country except the United States of America.