

Material Safety Data Sheet

Innovation and Experience at Work

CHRISTO-LUBE® MCG 1055

1.	Substance, Preparation, and Company Description		
	Material Uses	Solvent, Industrial applications	
		Engineered Custom Lubricants (ECL)	
	Manufacturer	3851 Exchange Ave.	
	Manaracturer	Aurora, IL 60504	
		630-449-5000	
	Product Code	CHRISTO-LUBE MCG 1055	
	Validation Date	January 14, 2015	
	In case of emergency contact	1-630-449-5000	
2.	Hazards Identification		
		nergency Overview	
	Physical State	Liquid	
	Color	Clear	
	Odor	Nearly Odorless	
		NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS	
	Hazard Statements	WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.	
		While this material is not considered hazardous by the OSHA	
		Hazard Communication Standard (29 CFR 1910.1200), this MSDS	
	OSHA/HCS Status	contains valuable information critical to the safe handling and	
		proper use of the product. This MSDS should be retained and	
	Doutes of Fating	available for employees and other users of the product.	
	Routes of Entry	Dermal contact. Eye contact. Ingestion tial acute health effects	
	Inhalation	No known significant effects or critical hazards.	
	Ingestion	No known significant effects or critical hazards.	
	Skin	No known significant effects or critical hazards.	
	Eyes	No known significant effects or critical hazards.	
		al chronic health effects	
	Chronic effects	No known significant effects or critical hazards.	
	Carcinogenicity	No known significant effects or critical hazards.	
	Mutagenicity	No known significant effects or critical hazards.	
	Teratogenicity	No known significant effects or critical hazards.	
	Fertility effects	No known significant effects or critical hazards.	
	Developmental effects	No known significant effects or critical hazards.	
		posure signs/symptoms	
	Inhalation	No specific data	
	Ingestion	No specific data	

	Skin	No specific data			
	Eyes	No specific data			
	Medical conditions aggravated by over- exposure	None known			
3.	Composition/Component Data				
<u> </u>	Composition, Component Bata				
	Name	CAS Number EINECS Number %			
		ardous or Reportable Ingredients			
4.	First Aid Measures				
	Eye Contact	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.			
	Skin Contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms occur. Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt, or waistband. Get medical attention if symptoms occur. Wash out mouth with water. Do not induce vomiting unless directed to do so my medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. No action shall be taken involving any personal risk or without suitable training.			
	Inhalation				
	Ingestion				
	Protection for first-aiders				
	Note to Physician	No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.			
5.	Firefighting Measures				
<u> </u>	Suitable Extinguishing Media	Dry Chemical, CO ₂ . Foam. or Water Fog			
	Special Exposure Hazards	Keep containers cool by spraying with water when exposed to fire; if flames have reached the product causing a possible decomposition yielding toxic compounds, use self-contained breathing apparatus. This product does not burn, but will thermally decompose above 290°C			
	Hazardous thermal decomposition	Decomposition at temperatures above 290°C may cause the			
	products	evolution of toxic gaseous fluorine compounds.			
	Special protective equipment for firefighters	Fire-fighters should wear protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.			
6	Appidental Palagon Manager				
6.	Accidental Release Measures	No action shall be taken involving any personal risk or without			
	Personal Precautions	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protection equipment (see Section 8).			

	Environmental Precautions Methods for Clean up		Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air). Small spill: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Large spill: Move containers from spill area. Prevent entry into sewers, water courses, basements, or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: See section 1 for emergency contact information and section		
			13 for waste disposal.		
7.	Handling and Storage				
	Handling		Put on appropriate personal protection equipment (see section 8). Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before entering eating areas.		
	Storage		Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool, and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.		
8.	Exposure Limits and F	Personal Prote	ective Equipment		
<u> </u>	Exposure Emilis and I	Croonar rote	United States		
			Exposure Limits		
		OSHA Threshol	Value: LD50>40 g/kg d Limit Value: LD50>40 g/kg old Limit Value: LD50>40 g/kg		
	Recommended Monitoring	Procedures	If this product contains ingredients with exposure limits, personal, workplace, atmosphere, or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.		
	Engineering Measures		No specific ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.		
	Hygiene Measures		Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking or using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.		
		F	Personal Protection		
	Respiratory		Use properly fitted, air-purifying or air fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.		

	Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
	Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposures to liquid splashes, mists, or dusts.
	Skin	Personal protection equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
	Environmental Exposure Controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements or environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
9,	Physical and Chemical Properties	
9.	Physical State	Liquid, Solvent
	Flash Point	None
	Auto-ignition Temperature	Not Available
	Flammable Limits	Not Available
	Color	Clear
	Odor	Nearly Odorless
	рН	Not Available
	Boiling Point	200°C
	Melting/freezing Point	Not Available
	Density	1.79 g/cm ³
	Vapor Pressure	<1 Torr @ 25°C
	Vapor Density	Not Available
	Volatility	Not Available
	Evaporation Data	Not Available
	Viscosity	Not Available
	Dispensability Properties	Not Available
	Solubility	Not Available
	Physical/chemical Properties Comments	Not Available
10.	Stability and reactivity	
	Chemical Stability	The product is stable
	Conditions to avoid	No specific data
	Incompatible Materials	Molten alkali metals, interhalogen compounds, strong or not aqueous alkali and Lewis acids above 100C
	Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition product should not be produced.
	Possibility of Hazardous Reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
11.	Toxicological Data	

	Product/Ingredient Name Product/Ingredient Name Product/Ingredient Name	Result Result Result Result	anada Species lexico Species	Dose Dose	Exposure Exposure Exposure	
	Product/Ingredient Name Product/Ingredient Name	Result Result Repeat	anada Species lexico Species		Exposure	
	Product/Ingredient Name	Result Result Repeat	Species lexico Species			
	Product/Ingredient Name	Result Result Repeat	Species lexico Species			
		Result Repeat	Species	Dose	Exposure	
		Result Repeat	Species	Dose	Exposure	
		Repeat respirat		Dose	Exposure	
	hronic Toxicity	respirat				
	hronic Toxicity	respirat			noint many mundy	
		Repeated or prolonged exposure to spray or mist may pro respiratory tract irritation. Skin: No known significant effects or critical hazards. Eyes: No known significant effects or critical hazards.				
Ir	ritation/Corrosion					
			atory: Repeated or pro		spray or mist may	
S	ensitizer	produce respiratory tract irritation. Skin: No specific information is available regard sensitizing properties of this product. Sensitization no humans.				
С	arcinogenicity	There	Respiratory: Sensitization not expected for humans. There is no data on the preparation itself. Carcinogenicity not suspected for humans.			
М	lutagenicity	There suspec	is no data on the ted for humans.	the preparation itself. Mutagenicity not		
Т	eratogenicity	There is no data on the preparation itself. Teratogen suspected for humans.				
R	eproductive Toxicity		is no data on the pre ous to humans.	paration itself. Not	considered to be	
12. E	cological Data					
	cotoxicity	Not rea	dily biodegradable			
			-			
		Unite	ed States			
	quatic Ecotoxicity ersistence/Degradability	This product has not been tested for biodegradation. Not rea			dation. Not readily	
	Canada					
Α	quatic Ecotoxicity		s no data available on			
P	ersistence/Degradability	This product has not been tested for biodegradation. Not rebiodegradable. This product is not expected to bioacculu through food chains in the environment.				
		M	exico			
Α	quatic Ecotoxicity		s no data available on			
P	ersistence/Degradability	This product has not been tested for biodegradation. Not readily biodegradable. This product is not expected to bioacculumate through food chains in the environment.				

13.	Disposal Cons	siderations						
	Waste Disposal		The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions, and any by-products should at all times complewith the requirement of environmental protection and waste disposal legislation and any regional or local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and it's container must be disposed of in a safe way. Empty container or liners may contain some product residues. Avoid dispersal of spilled material and run-off and contact with soil, waterways, drains and sewers.					
	Disposal sho	ould be in acc	cordance with	applicable regional, national, and local laws and regulations ORAGE and Section 8: EXPOSURE LIMITS AND PERSONAL				
	PROTECTIVE EQUIPMENT for addit		MENT for addit	ional handl	ng informat	ion and prot	ection of emi	plovees.
		• -						
14.	Transportation	n Informati	on					
Infor	ılatory mation	UN Number	Proper Shipp	oing Name	Classes	Packing Group	Label	Additional Information
DOT	Classification	Not Regulated						
TDG Classification		Not Regulated						
Mexi	co Classification	Not Regulated						
ADR	RID Class	Not Regulated						
IMDO	Class	Not						

15.	Regulatory Information				
		United States			
	HSC Classification Not Regulated				
	TSCA 8(a) IUR Exempt/Partial Exemption Not Determined				
	United States Inventory (TSCA 8b) All components are listed or exempt				
	Clean Air Act Section 112(b) – Hazardous Air Pollutants (HAP'S)	Not listed			

SARA 313: No listed substances

IATA-DGR Class

Not Regulated

Not Regulated

	Product Name	CAS Number	Concentration %
Form R Reporting			
Requirements			
Supplier Notification			

Canada

	WHMIS (Canada)	Not controlled under WHMIS (Canada)					
	Canadian NPRI	None of the components are listed					
	CEPA Toxic Substances	None of the components are listed					
	Canada Inventory	All components are listed or exempted					
		Mexico					
	Classification	Health: 1 Flammability: 0 Reactivity: 0					
	Trodonyny. 0						
16.	Other Information						
	Labeling Requirements	NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED					
				_			
		HEALTH	1	HMIS Ratings are based			
		FLAMMABILITY	0	on a 0-4 scale, with 0			
	Hazardous Material Information System	REACTIVITY	0	representing minimal			
	(USA)	PERSONAL PROTECTION	В	hazards or risks, and 4 representing significant hazards or risks.			
	The customer is responsib	ole for determining the PPE of	ode for thi	s material.			
	Date of Issue	January 14, 2015					
	Version	2					
	Changes from Previous Version	Yes					
	Prepared by:	ECL Research and Development Department					

Notice to reader: Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user and WE EXPRESSLY DISCLAIM ALL WARRANTIES OF EVERY KIND AND NATURE, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IN RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. Appropriate warnings and safe handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Engineered Custom Lubricants assumes no responsibility for accuracy of information unless the document is the most current available from an official Engineered Custom Lubricants source. Engineered Custom Lubricants neither represents nor warrants that the format, content or product formulas contained in this document comply with the laws of any other country except the United States of America.