

# **Material Safety Data Sheet**

Innovation and Experience at Work

## CHRISTO-LUBE® MCG 111RP

1.	Substance, Preparation, and Comp	ubstance, Preparation, and Company Description		
	Material Uses	Lubricant, Grease, Industrial applications		
		Engineered Custom Lubricants (ECL)		
	Manufacturer	3851 Exchange Ave.		
	Manaractarci	Aurora, IL 60504		
		630-449-5000		
	Product Code	CHRISTO-LUBE MCG 111RP		
	Validation Date	December 17, 2014		
	In case of emergency contact	1-630-449-5000		
2.	Hazards Identification			
		Emergency Overview		
	Physical State	Semi-solid, grease		
	Color	White		
	Odor	Nearly odorless		
		NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS		
	Hazard Statements	WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.		
		While this material is not considered hazardous by the OSHA		
	00114/1100 045455	Hazard Communication Standard (29 CFR 1910.1200), this MSDS		
	OSHA/HCS Status	contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and		
		available for employees and other users of the product.		
	Routes of Entry	Dermal contact. Eye contact. Ingestion		
		Intial acute health effects		
	Inhalation	No known significant effects or critical hazards.		
	Ingestion	No known significant effects or critical hazards.		
	Skin	No known significant effects or critical hazards.		
	Eyes	No known significant effects or critical hazards.		
	Poten	tial chronic health effects		
	Chronic effects	No known significant effects or critical hazards.		
	Carcinogenicity	No known significant effects or critical hazards.		
	Mutagenicity	No known significant effects or critical hazards.		
	Teratogenicity	No known significant effects or critical hazards.		
	Fertility effects	No known significant effects or critical hazards.		
	Developmental effects	No known significant effects or critical hazards.		
		exposure signs/symptoms		
	Inhalation	No specific data		
	Ingestion	No specific data		

	Skin No specific data						
	Eyes		lo specific data				
	Medical conditions aggravated by over-		lone known				
	exposure						
3.	Composition/Component Data						
	Name		CAS Number	EINECS Number	%		
	No Haz	ardo	ous or Reportable Ingredier	its			
4.	First Aid Measures						
			Check for and remove any				
	Eye Contact		vith plenty of water for at I				
			pper and lower eyelids. Ge				
			n case of contact, immedia east 15 minutes while rem				
	Skin Contact		Vash clothing before reus				
			ccur.	oc. Oct medical atter	illori ii symptoms		
		Λ	Nove exposed person to fi	resh air. If not breathi	ng, if breathing is		
		ir	regular or if respiratory ar	rest occurs, provide a	artificial respiration		
	Inhalation		r oxygen by trained person				
			ollar, tie, belt, or waistba	nd. Get medical atter	ntion if symptoms		
			CCUr.	Do not induce vemiti	na unloss directed		
	Ingestion		Wash out mouth with water. Do not induce vomiting unless direct to do so my medical personnel. Never give anything by mouth to				
	goono		nconscious person. Get m				
	Protection for first-aiders	١	lo action shall be taken	involving any person	al risk or without		
	Frotection for mist-aluers	_	uitable training.				
	Note to Dhysician		lo specific treatment. T				
	Note to Physician		eatment specialist imme ngested or inhaled.	diately if large quar	itities nave been		
			igested of illitated.				
5.	Firefighting Measures						
0.	Suitable Extinguishing Media	Тг	Ory Chemical, CO <sub>2,</sub> Foam.	or Water Fog			
	Canadio Example of the Canadia		Promptly isolate the scene		ns from the vicinity		
	Special Exposure Hazards		f the incident if there is a				
			ny personal risk or without				
	Hazardous thermal decomposition		Burning may produce	gaseous hydrogen	fluoride (HF).,		
	products		luorophosgene	unit nathur and the state of	and and the second		
	Special protective equipment for		ire-fighters should wear p reathing apparatus (SCB				
	firefighters		ositive pressure mode.	A) Willi a full lace-p	nece operated in		
		<b>─</b>	Soluto procodio inodo.				
6.	Accidental Release Measures						
		I	lo action shall be taken	involving any person	al risk or without		
		s	uitable training. Evacuate	surrounding areas. H	Keep unnecessary		
	Personal Precautions	а	nd unprotected personne	I from entering. Do r	not touch or walk		
			nrough spilled material. F	Put on appropriate pe	ersonal protection		
			quipment (see Section 8).	notorial and minister and	Looptoct with!!		
			void dispersal of spilled materways, drains, and sew				
	Environmental Precautions		roduct has caused enviro				
			oil, or air).	montal polition (36	water ways,		
		son, or air).					

	Methods for Clean up	,	material and place Dispose of via a lice Large spill: Move sewers, water cours sweep up material container. Dispose Note: See section 1	Small spill: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.  Large spill: Move containers from spill area. Prevent entry into sewers, water courses, basements, or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: See section 1 for emergency contact information and section 13 for waste disposal.			
7.	Handling and Sto	rano					
	Handling	ago .	Eating, drinking, and this material is har wash hands and Remove contaminal entering eating area.	d smoking should be pudled, stored, and processore eating, ted clothing and protess.	uipment (see section 8). rohibited in areas where cessed. Workers should drinking, and smoking. ective equipment before		
	Storage		Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool, and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.				
8.	Exposure Limits a	and Personal Prote	ective Equipment				
			United States				
		Ingredient	upational Exposure L	Exposure Limits  Exposure Limits			
		000	Canada	::			
	Ingredient	List Name	upational Exposure L TWA (8 Hours)	STEL (15 mins)	Ceiling		
			Mexico				
		Occi Ingredient	upational Exposure L	imits Exposure Lir	nits		
		Ingredient		Exposure En			
	Recommended Monit	oring Procedures	If this product contains ingredients with exposure limits, persona workplace, atmosphere, or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.  No specific ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborn contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below an recommended or statutory limits.				
	Engineering Measure	s					
	Hygiene Measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking or using the lavatory and at the product of the working period. Appropriate techniques should be use			the lavatory and at the hniques should be used ng. Wash contaminated rash stations and safety		

	Personal Protection				
		Use properly fitted, air-purifying or air fed respirator complying with			
	Respiratory	an approved standard if a risk assessment indicates this is			
		necessary. Respirator selection must be based on known or			
		anticipated exposure levels, the hazards of the product and the safe			
		working limits of the selected respirator.			
		Chemical-resistant, impervious gloves complying with an approved			
	Hands	standard should be worn at all times when handling chemical			
		products if a risk assessment indicates this is necessary.			
	<b>F</b>	Safety eyewear complying with an approved standard should be			
	Eyes	used when a risk assessment indicates this is necessary to avoid			
		exposures to liquid splashes, mists, or dusts.  Personal protection equipment for the body should be selected			
	Skin	based on the task being performed and the risks involved and			
	SKIII	should be approved by a specialist before handling this product.			
		Emissions from ventilation or work process equipment should be			
		checked to ensure they comply with the requirements or			
		environmental protection legislation. In some cases, fume			
	Environmental Exposure Controls	scrubbers, filters or engineering modifications to the process			
		equipment will be necessary to reduce emissions to acceptable			
		levels.			
9.	Physical and Chemical Properties				
	Physical State	Semi-solid, grease			
	Flash Point	Not Available			
	Auto-ignition Temperature	Not Available			
	Flammable Limits	Not Available			
	Color	White			
	Odor	Nearly odorless			
	pH	Not Available			
	Boiling/condensation Point	Not Available			
	Melting/freezing Point	Not Available			
	Density	1.990 g/cm <sup>3</sup>			
	Vapor Pressure	Not Available			
	Vapor Density	Not Available			
	Volatility	Not Available			
	Evaporation Data	Not Available			
	Viscosity	Not Available			
	Dispensability Properties	Not Available			
	Solubility	Insoluble in the following materials: hot and cold water			
	Physical/chemical Properties Comments	Not Available			
	·				
10.	Stability and reactivity				
	Chemical Stability	The product is stable			
	Conditions to avoid	No specific data			
	Incompatible Materials	No specific data			
	Hazardous Decomposition Products	Under normal conditions of storage and use, hazardous decomposition product should not be produced.			
	Possibility of Hazardous Reactions	Under normal conditions of storage and use, hazardous reactions will not occur.			
11.	Toxicological Data				

	Acute Toxicity: None known United States						
	Product/Ingredient Name	Result	Species	Dose	Exposure		
	Canada						
	Product/Ingredient Name	Result	Species	Dose	Exposure		
		8.6					
	Product/Ingredient Name	Result	exico Species	Dose	Exposure		
			•				
	Chronic Toxicity			osure to spray or	mist may produce		
	- Chieffe Temens,		ory tract irritation. O known significant e	ffects or critical haza	rds		
			· ·				
	Irritation/Corrosion	Eyes: No	o known significant e	ffects or critical haza	ards.		
				olonged exposure to	spray or mist may		
			respiratory tract irrita	ation. tion is available re	egarding the skin		
		sensitizir	ng properties of this	product. Sensitization			
	Sensitizer	humans.					
			<b>Respiratory:</b> Sensitization not expected for humans.  There is no data on the preparation itself. Carcinogenicity not				
	Carcinogenicity		s no data on the led for humans.	preparation itself. C	Carcinogenicity not		
	Mutagenicity	There is	s no data on the	preparation itself.	Mutagenicity not		
			ed for humans.	preparation itself.	Teratogenicity not		
	Teratogenicity	suspecte	ed for humans.				
	Reproductive Toxicity		no data on the prus to humans.	eparation itself. Not	considered to be		
10							
12.	Ecological Data Ecotoxicity	Not read	ily biodegradable				
	Leotoxicity	-	d States				
	America Francisco			the proporetion iteal	L.		
	Aquatic Ecotoxicity			the preparation itsel			
	Persistence/Degradability			t is not expected	to bioacculumate		
			food chains in the en	vironment.			
			nada				
	Aquatic Ecotoxicity			the preparation itsel tested for biodegrae			
	Persistence/Degradability	biodegra	dable. This produc	t is not expected			
			food chains in the en	vironment.			
			xico				
	Aquatic Ecotoxicity			the preparation itsel			
	Persistence/Degradability	biodegra	dable. This produc	t is not expected			
		through	food chains in the en	vironment.			
13.	Disposal Considerations						

### **Waste Disposal**

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions, and any by-products should at all times comply with the requirement of environmental protection and waste disposal legislation and any regional or local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and it's container must be disposed of in a safe way. Empty containers or liners may contain some product residues. Avoid dispersal of spilled material and run-off and contact with soil, waterways, drains, and sewers.

Disposal should be in accordance with applicable regional, national, and local laws and regulations Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE LIMITS AND PERSONAL PROTECTIVE EQUIPMENT for additional handling information and protection of employees.

### 14. Transportation Information

Regulatory	UN	Proper Shipping Name	Classes	Packing	Label	Additional
Information	Number			Group		Information
DOT Classification	Not					
	Regulated					
TDG Classification	Not					
	Regulated					
Mexico Classification	Not					
	Regulated					
ADR/RID Class	Not					
	Regulated					
IMDG Class	Not					
	Regulated					
IATA-DGR Class	Not					
	Regulated					

### 15. Regulatory Information

United States			
HSC Classification	Not Regulated		
TSCA 8(a) IUR Exempt/Partial Exemption	Not Determined		
United States Inventory (TSCA 8b)	All components are listed or exempt		
Clean Air Act Section 112(b) – Hazardous Air Pollutants (HAP'S)	Not listed		

#### SARA 313: No listed substances

	Product Name	CAS Number	Concentration %
Form R Reporting			
Requirements			
Supplier Notification			

Canada				
WHMIS (Canada)	Not controlled under WHMIS (Canada)			
Canadian NPRI	None of the components are listed			

	CEPA Toxic Substances	None of the components a				
	Canada Inventory	All components are listed of	r exempted			
		Mexico				
	Classification	Health: 1 Flammability: 0 Reactivity: 0				
16.	Other Information					
10.		NOT EXPECTED TO PRO	DUCE SIGN	JIFICANT ADVERSE		
	Labeling Requirements	HEALTH EFFECTS WHEN INSTRUCTIONS FOR USE	DMMENDED			
	Hazardous Material Information System (USA)	HEALTH  FLAMMABILITY  REACTIVITY  PERSONAL PROTECTION  1  HMIS Ratings are to on a 0-4 scale, with representing minim hazards or risks, a representing significant hazards or risks.				
	The customer is responsible for determining the PPE code for this material.					
	Date of Issue	December 17, 2014				
	Version	1				
	Changes from Previous Version	N/A				
	Prepared by:	ECL Research and Development Department				

**Notice to reader:** Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user and WE EXPRESSLY DISCLAIM ALL WARRANTIES OF EVERY KIND AND NATURE, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IN RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. Appropriate warnings and safe handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Engineered Custom Lubricants assumes no responsibility for accuracy of information unless the document is the most current available from an official Engineered Custom Lubricants source. Engineered Custom Lubricants neither represents nor warrants that the format, content or product formulas contained in this document comply with the laws of any other country except the United States of America.