

## **Material Safety Data Sheet**

Innovation and Experience at Work

## RheoGel R430-000

1.	Substance, Preparation, and Company Description			
	Material Uses	Lubricant, Grease, Industrial applications		
		Engineered Custom Lubricants (ECL)		
	Manufacturer	3851 Exchange Ave.		
	Wallulacturei	Aurora, IL 60504		
		630-449-5000		
	Product Code	RheoGel R430-000		
	Validation Date	January 29, 2015		
	In case of emergency contact	1-630-449-5000		
2.	Hazards Identification			
		Emergency Overview		
	Physical State	Semi-fluid, grease		
	Color	Tan		
	Odor	Mild petroleum odor		
	Hazard Statements	NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.		
	OSHA/HCS Status	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of the product.		
	Routes of Entry	Dermal contact. Eye contact. Ingestion		
	Pote	ential acute health effects		
	Inhalation	No known significant effects or critical hazards.		
	Ingestion	No known significant effects or critical hazards.		
	Skin	No known significant effects or critical hazards.		
	Eyes	No known significant effects or critical hazards.		
	Pote	ntial chronic health effects		
	Chronic effects	No known significant effects or critical hazards.		
	Carcinogenicity	No known significant effects or critical hazards.		
	Mutagenicity	No known significant effects or critical hazards.		
	Teratogenicity	No known significant effects or critical hazards.		
	Fertility effects	No known significant effects or critical hazards.		
	Developmental effects	No known significant effects or critical hazards.		
	•	-exposure signs/symptoms		
	Inhalation	No specific data		
	Ingestion	No specific data		
	Skin	No specific data		

	Eyes	No	specific data			
	Medical conditions aggravated by over-		ne known			
	exposure					
3.	Composition/Component Data					
				T ==00		
	Name		CAS Number	EINECS Number	%	
	No Horr	ardo	or Donortoble Ingred	ionto		
	INO FIAZA	ardous	s or Reportable Ingred	ients		
-	First Aid Massures					
4.	First Aid Measures	Ch	ack for and remove a	ny contact lenses. Imme	adiately flush over	
	Eye Contact			at least 15 minutes, occ		
		upp	per and lower eyelids.	Get medical attention if s	symptoms occur.	
				diately flush skin with ple		
	Skin Contact			emoving contaminated c		
		Wash clothing before reuse. Get medical attention if symptoms occur.  Move exposed person to fresh air. If not breathing, if breathing is				
					ing, if breathing is	
		irre	gular or if respiratory	arrest occurs, provide a	artificial respiration	
	Inhalation	or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt, or waistband. Get medical attention if symptoms occur.				
				ter. Do not induce vomiti	ing unless directed	
	Ingestion			sonnel. Never give anyth		
				medical attention if sym		
	Protection for first-aiders	No action shall be taken involving any personal risk or with			al risk or without	
			table training.	Treat symptomatically	Contact poison	
	Note to Physician	No specific treatment. Treat symptomatically. Contact poiso treatment specialist immediately if large quantities have bee				
	,		ingested or inhaled.			
5.	U U					
	Suitable Extinguishing Media	Dry Chemical, CO <sub>2</sub> , Foam. or Water Fog				
	Special Exposure Hazards	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.				
	Openiai Exposure Hazarus					
	Hazardous thermal decomposition	Burning may produce carbon monoxide, carbon dioxide,				
	products	formaldehyde, as well as small amounts of other toxic fumes.  Fire-fighters should wear protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in				
	Special protective equipment for					
	firefighters		athing apparatus (S0 sitive pressure mode.	JBA) with a full face-p	piece operated in	
		Pos	navo prossuro mode.			
6,	Accidental Release Measures					
		No	action shall be take	en involving any person	al risk or without	
		sui	table training. Evacua	ate surrounding areas. I	Keep unnecessary	
	Personal Precautions	and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protection				
					ersonal protection	
		equipment (see Section 8).				

	Environmental Precau	utions	waterways, drains,	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air).			
	Methods for Clean up		Small spill: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.  Large spill: Move containers from spill area. Prevent entry into sewers, water courses, basements, or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: See section 1 for emergency contact information and section 13 for waste disposal.				
7.	Handling and Stor	rage					
	Handling		Eating, drinking, an this material is had wash hands and	Put on appropriate personal protection equipment (see section 8). Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking, and smoking. Remove contaminated clothing and protective equipment before			
	Storage		Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool, and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.				
8.	Exposure Limits a	and Personal Prote	 ective Equipment				
			United States				
		Ingredient	upational Exposure Limits  Exposure Limits				
				•			
			Canada				
	Ingredient	Occi List Name	upational Exposure I TWA (8 Hours)	_imits STEL (15 mins)	Ceiling		
	ingredient	List Name	TWA (o flours)	STEE (13 IIIII3)	Centrig		
			Mexico				
			upational Exposure l				
		Ingredient		Exposure Lir	nits		
	Recommended Monitoring Procedures  If this product contains ingredients with exposure limits, personant workplace, atmosphere, or biological monitoring may be required determine the effectiveness of the ventilation or other commensures and/or the necessity to use respiratory protections.			oring may be required to tilation or other control			
	equipment.  No specific ventilation requirements. Good general ventil should be sufficient to control worker exposure to airly contaminants. If this product contains ingredients with exposition in the contaminants of the process enclosures, local exhaust ventilation or engineering controls to keep worker exposure below recommended or statutory limits.			exposure to airborne			

	Hygiene Measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking or using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.				
	Personal Protection					
Respiratory		Use properly fitted, air-purifying or air fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.				
	Hands	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.				
	Eyes	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposures to liquid splashes, mists, or dusts.				
	Skin	Personal protection equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.				
	Environmental Exposure Controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements or environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.				
9.	Physical and Chemical Properties					
Э.	Physical State	Semi-fluid, grease				
	Flash Point	Not Available				
	Auto-ignition Temperature	Not Available				
	Flammable Limits	Not Available				
	Color	Tan				
	Odor	Mild petroleum odor				
	pH	Not Available				
	Boiling/condensation Point	Not Available				
	Melting/freezing Point	Not Available				
	Density	0.95 g/cm <sup>3</sup>				
	Vapor Pressure	Not Available				
	Vapor Density	Not Available				
	Volatility	Not Available				
	Evaporation Data	Not Available				
	Viscosity	Not Available				
	Dispensability Properties	Not Available				
	Solubility	Insoluble in the following materials: hot and cold water				
	Physical/chemical Properties Comments	Not Available				
40	Ctability and resettivity					
10.	Stability and reactivity	The was directly stable				
	Chemical Stability	The product is stable				
	Conditions to avoid	No specific data				
	Incompatible Materials	No specific data  Under normal conditions of storage and use, hazardous				
	Hazardous Decomposition Products	decomposition product should not be produced.				
	Possibility of Hazardous Reactions	Under normal conditions of storage and use, hazardous reactions will not occur.				

Exposure  Exposure
Exposure
Exposure
Exposure
Exposure
Exposure
nay produce
or mist may
ng the skin
expected for
ogenicity not
genicity not
genicity not
•
idered to be
. Not readily
oacculumate
Not readily oacculumate
. Not readily oacculumate
oacculumate
/ ne

13.	Disposal Considerations				
	Waste Disposal	The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions, and any by-products should at all times comply with the requirement of environmental protection and waste disposal legislation and any regional or local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and it's container must be disposed of in a safe way. Empty containers or liners may contain some product residues. Avoid dispersal of spilled material and run-off and contact with soil, waterways, drains, and sewers.			
	Disposal should be in accordance with applicable regional, national, and local laws and regulations Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE LIMITS AND PERSONAL				
	PROTECTIVE EQUIPMENT for additional handling information and protection of employees.				
14.	Transportation Information				

## Regulatory UN **Proper Shipping Name** Classes Packing Label Additional Information Number Group Information **DOT Classification** Not Regulated **TDG Classification** Not Regulated Mexico Classification Not Regulated ADR/RID Class Not Regulated IMDG Class Not Regulated **IATA-DGR Class** Not Regulated

15.	Regulatory Information	
		United States
	HSC Classification	Not Regulated
	TSCA 8(a) IUR Exempt/Partial Exemption	Not Determined
	United States Inventory (TSCA 8b)	All components are listed or exempt
	Clean Air Act Section 112(b) – Hazardous Air Pollutants (HAP'S)	Not listed

## SARA 313: No listed substances

	Product Name	CAS Number	Concentration %
Form R Reporting			
Requirements			
Supplier Notification			
	L		l .

	Canada				
	WHMIS (Canada)	Not controlled under WHM	IS (Canada	)	
	Canadian NPRI	None of the components a	re listed		
	CEPA Toxic Substances	None of the components a	re listed		
	Canada Inventory	All components are listed or exempted			
		Mexico			
	Classification	Health: 1 Flammability: 1 Reactivity: 0			
16.	Other Information				
	Labeling Requirements	NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED			
	Hazardous Material Information System (USA)	HEALTH FLAMMABILITY REACTIVITY PERSONAL PROTECTION	1 1 0 B	HMIS Ratings are based on a 0-4 scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks.	
	The customer is responsible for determining the PPE code for this material.				
	Date of Issue	January 29, 2015			
	Version	2			
	Changes from Previous Version	Yes			
	Prepared by:	ECL Research and Development Department			

**Notice to reader:** Information given herein is offered in good faith as accurate, but without guarantee. Conditions of use and suitability of the product for particular uses are beyond our control; all risks of use of the product are therefore assumed by the user and WE EXPRESSLY DISCLAIM ALL WARRANTIES OF EVERY KIND AND NATURE, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IN RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. Appropriate warnings and safe handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Engineered Custom Lubricants assumes no responsibility for accuracy of information unless the document is the most current available from an official Engineered Custom Lubricants source. Engineered Custom Lubricants neither represents nor warrants that the format, content or product formulas contained in this document comply with the laws of any other country except the United States of America.