

# SAFETY DATA SHEET

Print date: 04/16/2016 Revision Date: 04/16/2016 **Revision Number: 1.01** 

## 1. COMPANY AND PRODUCT IDENTIFICATION

Product identifier

RHEOGEL 1217A **Product Name:** Product code: 016365-01

Other means of identification

**Synonyms** No information available

Application

Recommended Use Lubricant

Uses advised against For industrial use only

Supplier/Manufacturer:

Supplier:

Emergency telephone number: ENGINEERED CUSTOM LUBRICANTS (ECL) \* 24 HOUR TRANSPORTATION: \*\*CHEMTREC: 1-800-424-9300 3851 Exchange Avenue

Aurora, IL 60504 USA +703-527-3887 (Call collect outside of US) Phone: (630)449-5000 \* 24 HOUR EMERGENCY HEALTH & SAFETY:

Email: she@quakerchem.com \*\*(800) 523-7010 (Within US only) Outside of US call (703)

527-3887

# 2. HAZARDS IDENTIFICATION

#### Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Skin Sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1
Flammable liquids	Category 2

#### **Label Elements**

**Emergency Overview** 

#### DANGER

#### Hazard Statements

Causes skin irritation

May cause an allergic skin reaction

May cause respiratory irritation. May cause drowsiness or dizziness

Very toxic to aquatic life with long lasting effects

May be fatal if swallowed and enters airways

Highly flammable liquid and vapor



Appearance Tan Physical State Liquid Odor Solvent

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

Avoid release to the environment

#### **Precautionary Statements - Response**

Specific treatment (see First Aid on this label)

IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do not induce vomiting Collect spillage

### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

None known

#### Other Information

May be harmful if swallowed.

Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS No	Weight %
2,2,4 -TRIMETHYLPENTANE	540-84-1	80 - 90%
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	64741-66-8	10 - 15%
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene,	68037-01-4	1 - 5%
oligomers,hydrogenated		
Benzene, mono-C10-13-alkyl derivs., fractionation bottoms, heavy ends,	148520-84-7	<1%
sulfonated, calcium salts		

The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

**General advice:** Show this safety data sheet to the doctor in attendance Remove contaminated

clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap

and water. If symptoms persist, call a physician

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes

Skin contact: Remove and wash contaminated clothing before re-use. Wash off immediately with

soap and plenty of water.

**Ingestion:** If swallowed, seek medical advice immediately and show this container or label. Do

not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person

**Inhalation:** Move to fresh air in case of accidental inhalation of vapors. If not breathing, give

artificial respiration If breathing is difficult, give oxygen Consult a physician.

Note to physician: Treat symptomatically.

Medical condition

aggravated by exposure:

None known.

## 5. FIRE-FIGHTING MEASURES

**Suitable extinguishing media:** Use dry chemical, CO2, water spray or `alcohol` foam.

**Specific hazards:** Do not allow material to contaminate ground water system.

Special protective equipment for

fire-fighters:

As in any fire, wear self-contained breathing apparatus pressure-demand,

MSHA/NIOSH (approved or equivalent) and full protective gear

**Specific methods:** Water mist may be used to cool closed containers

### 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Ensure adequate ventilation. Do not breathe vapour/dust. Use personal protective

equipment. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

**Environmental precautions:** Do not flush into surface water or sanitary sewer system. Prevent further leakage or

spillage if safe to do so.

Methods for cleaning up: So

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

## 7. HANDLING AND STORAGE

Handling

**Technical** Provide sufficient air exchange and/or exhaust in work rooms.

measures/precautions:

Safe handling advice: In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe

vapors or spray mist. Wear personal protective equipment. Avoid contact with skin and

eyes. Wash thoroughly after handling.

Storage

Technical measures/storage

conditions:

Store at room temperature in the original container.

Incompatible products: Strong oxidizing agents

Safe storage temperature: 40 - 100 ° F

Shelf life: 36 months

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components	ACGIH Exposure Limits	OSHA TWA (final)	NIOSH - Pocket Guide
2,2,4 -TRIMETHYLPENTANE	300 ppm (TWA)	500 ppm	None

**Engineering measures:** Ensure adequate ventilation

**Personal Protective Equipment:** 

**General:** Eye Wash and Safety Shower

**Respiratory protection:** If engineering controls do not maintain airborne concentrations to a level which is

adequate to protect worker health, a NIOSH-certified respirator with organic

vapor/P100 filter should be worn.

**Eye protection:** Safety glasses with side-shields

Hand protection: Neoprene gloves

Skin and body protection: Long sleeved clothing

**Hygiene measures:** Avoid contact with skin, eyes and clothing.



## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

**Appearance** Tan

**Odor** Solvent

Odor Threshold No information available

pH concentrate: No information available

pH Dilution No information available

Melting/freezing point

No information available

Boiling Point/Range No information available

Flash Point -8 °C / 17.6 °F

Method Tag closed cup

**Evaporation rate**No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information available

VOC Content Product (lb/gal) No information available

Vapor pressure No information available

Vapor density No information available

Specific Gravity (g/cc, 15 C) No information available

**Density @ 25 ° C. (g/cc):** .70

Water Solubility Insoluble

Solubility in other solvents

No information available

Partition coefficient: n-octanol/water No information available

Autoignition temperature No information available

**Decomposition Temperature**No information available

Kinematic viscosity 0.61 mm²/s @ 40 C

Dynamic viscosity

No information available

Molecular Weight No information available

# **10. STABILITY AND REACTIVITY**

**Stability:** Stable under recommended storage conditions.

Conditions to avoid: None known.

Materials to avoid: Strong oxidizing agents.

Hazardous decomposition products: None under normal use.

**Hazardous Polymerization:** Not applicable.

# 11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

### Information on likely routes of exposure

**Inhalation** May cause irritation of respiratory tract.

**Eye Contact** Contact with eyes may cause irritation.

**Skin Contact** Irritating to skin. May cause sensitization by skin contact.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Components	LD50 Oral	LD50 Dermal	LC50 Inhalation
2,2,4 -TRIMETHYLPENTANE	> 2500 mg/kg (Rat)	-	= 47.4 mg/L (Rat) 1 h
	Oral LD50 Rat >2500		Inhalation LC50 Rat 47.4
	mg/kg (Source: IUCLID)		mg/L 1 h (Source:
			IUCLID)
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	> 7000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 6.31 mg/L (Rat) 4 h
	Oral LD50 Rat >7000	Dermal LD50 Rabbit	Inhalation LC50 Rat
	mg/kg (Source: IUCLID)	>2000 mg/kg (Source:	>6.31 mg/L 4 h (no
		IUCLID)	deaths occurred, Source:
			EPA_HPV)
Dec-1-ene, homopolymer, hydrogenated	-	-	-
Dec-1-ene, oligomers, hydrogenated			
Benzene, mono-C10-13-alkyl derivs.,	-	-	-
fractionation bottoms, heavy ends,			
sulfonated, calcium salts			

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity**The table below indicates whether each agency has listed any ingredient as a carcinogen

carcino			
Components	IARC Carcinogens	NTP	OSHA -
			Select Carcinogens
2,2,4 -TRIMETHYLPENTANE	Not listed	Not listed	Not listed
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	Not listed	Not listed	Not listed
Dec-1-ene, homopolymer, hydrogenated	Not listed	Not listed	Not listed
Dec-1-ene, oligomers,hydrogenated			
Benzene, mono-C10-13-alkyl derivs.,	Not listed	Not listed	Not listed
fractionation bottoms, heavy ends,			
sulfonated, calcium salts			

**Sensitization** Product contains a component that is classified as a skin sensitizer. No studies have

been conducted on the product itself.

Mutagenic effects: No information available.

**Reproductive Toxicity** No information available.

**Developmental Toxicity**No information available.

**Teratogenic** No information available.

Specific target organ systemic

toxicity (single exposure)

No information available.

Specific target organ systemic

toxicity (repeated exposure)

No information available.

Aspiration hazard May be fatal if swallowed and enters airways. Risk of serious damage to the lungs (by

aspiration).

#### Additional information on toxicological effects

No information available

# 12. ECOLOGICAL INFORMATION

Components	Ecotoxicity - Fish Species	Ecotoxicity - Freshwater	Ecotoxicity - Water Flea
	Data:	Algae Data:	Data:
2,2,4 -TRIMETHYLPENTANE	No data	No data	No data
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	No data	=2mg/L	No data
		= 30000 mg/L EC50	
Dec-1-ene, homopolymer, hydrogenated	No data	No data	No data
Dec-1-ene, oligomers, hydrogenated			
Benzene, mono-C10-13-alkyl derivs.,	No data	No data	No data
fractionation bottoms, heavy ends,			
sulfonated, calcium salts			

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and Degradability No information available.

**Bioaccumulation** No information available.

Components	Octanol/water partition coefficient
2,2,4 -TRIMETHYLPENTANE	•
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	•
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene,	-
oligomers,hydrogenated	
Benzene, mono-C10-13-alkyl derivs., fractionation bottoms,	-
heavy ends, sulfonated, calcium salts	

Mobility: No data available

Ozone: No data available

## 13. DISPOSAL CONSIDERATIONS

Waste from residues/unused

products:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

**Contaminated packaging:** Do not re-use empty containers

**Methods for cleaning up:**Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust) Sweep up and shovel into suitable containers for disposal

## 14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

UN/NA ID Number: UN1268

**Proper shipping name:** Petroleum Distillates, N.O.S. (Octanes)

Hazard class: 3 PG: II

RQ 2,2,4-Trimethylpentane, RQ kg= 545

TDG (CANADA):

**UN nr:** UN1268

Proper shipping name: Petroleum Distillates, n.o.s. (Octanes)

TDG Hazard Classification: 3
Packing group: ||

IMDG/IMO:

UN nr: UN1268

**Proper shipping name:** Petroleum Distillates, n.o.s. (Octanes)

Class: 3
Packing group: II
EMS: F-E, S-E
Limited quantity: 1 L

Marine pollutant: Marine Pollutant

IATA/ICAO:

**UN nr:** UN1268

**Proper shipping name:** Petroleum Distillates, n.o.s. (Octanes)

Hazard Class: 3
Packing group: II
Maximum quantity for cargo only: 60 L
Maximum quantity for passenger: 5 L
Limited quantity: 1 L

Marine pollutant: Marine Pollutant

# 15. REGULATORY INFORMATION

**Federal Regulations** 

**OSHA Hazard Communication** 

This product is considered to be hazardous under the OSHA Hazard Communication

**Standard:** Standard.

## **CERCLA/SARA Information:**

SARA (311, 312) hazard class: This product possesses the following SARA Hazard Categories:

Immediate Health (Acute):YesDelayed Health (Chronic):YesFlammability:YesPressure:NoReactivity:No

Components	Hazardous Substances	Extremely Hazardous	SARA 313 Emission
	and RQs	Substances and TPQs	Reporting
2,2,4 -TRIMETHYLPENTANE	1000 lb	Not listed	Not listed
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	Not listed	Not listed	Not listed
Dec-1-ene, homopolymer, hydrogenated	Not listed	Not listed	Not listed
Dec-1-ene, oligomers, hydrogenated			
Benzene, mono-C10-13-alkyl derivs.,	Not listed	Not listed	Not listed
fractionation bottoms, heavy ends,			
sulfonated, calcium salts			

## Clean Air and Clean Water Acts:

Components	Hazardous Air Pollutants	CWA - Hazardous Substances	CWA - Toxic Pollutants	CWA - Priority Pollutants
2,2,4 -TRIMETHYLPENTANE	Present	Not listed	Not listed	Not listed
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	Not listed	Not listed	Not listed	Not listed
Dec-1-ene, homopolymer, hydrogenated Dec-1-ene, oligomers,hydrogenated	Not listed	Not listed	Not listed	Not listed
Benzene, mono-C10-13-alkyl derivs., fractionation bottoms, heavy ends, sulfonated, calcium salts	Not listed	Not listed	Not listed	Not listed

### U.S. STATE REGULATIONS (RTK):

Components	California	PARTK	MI Critical	NJRTK	MARTK
	Proposition 65		Materials		
2,2,4	Not Listed	Present	Not Listed	1061	Present
-TRIMETHYLPENTANE					
NAPHTHA	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
(PETROLEUM), LIGHT					
ALKYLATE					
Dec-1-ene,	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
homopolymer,					
hydrogenated					
Dec-1-ene,					
oligomers, hydrogenated					
Benzene,	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed

\_\_\_\_\_

mono-C10-13-alkyl			
derivs., fractionation			
bottoms, heavy ends,			
sulfonated, calcium			
salts			

California Proposition 65 Status: No components are listed

RCRA Status: Ignitable (D001).

#### **CANADIAN REGULATIONS:**

Components	CEPA Schedule I	Challenge Substances
2,2,4 -TRIMETHYLPENTANE	Not listed	Not listed
NAPHTHA (PETROLEUM), LIGHT ALKYLATE	Not listed	Not listed
Dec-1-ene, homopolymer, hydrogenated	Not listed	Not listed
Dec-1-ene, oligomers, hydrogenated		
Benzene, mono-C10-13-alkyl derivs.,	Not listed	Not listed
fractionation bottoms, heavy ends,		
sulfonated, calcium salts		

### **INVENTORY STATUS:**

United States TSCA Inventory:

This product complies with TSCA

Canada DSL/NDSL Inventory List

All components except one are on the DSL Inventory List. The remaining ingredient is listed on the NDSL Inventory List.

## **16. OTHER INFORMATION**

**Sources of key data used to compile** Material safety data sheets of the ingredients. **the data sheet:** 

**Prepared by:** Safety, Health and Environmental Department

**Revision Date:** 04/16/2016 **Reason for revision:** New formulation.

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

#### Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

**End of Safety Data Sheet**