

SAFETY DATA SHEET

1. IDENTIFICATION

Product identifier

Product Name: SUPERCORR A-UV **Product code:** 016403-01

Other means of identification

Synonyms No information available

Application

Recommended Use Corrosion Preventive
Uses advised against For industrial use only

Supplier/Manufacturer:

Supplier:

ENGINEERED CUSTOM LUBRICANTS (ECL)

3851 Exchange Avenue Aurora, IL 60504 USA Phone: (630)449-5000

Email: she@quakerchem.com

Emergency telephone number:

- * 24 HOUR TRANSPORTATION: **CHEMTREC: 1-800-424-9300
- +703-527-3887 (Call collect outside of US)
 * 24 HOUR EMERGENCY HEALTH & SAFETY:
- **(800) 523-7010 (Within US only) Outside of US call (703)

527-3887

2. HAZARDS IDENTIFICATION

GHS Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (repeated exposure)	Category 1
Chronic aquatic toxicity	Category 3

Label Elements

Emergency Overview

DANGER

Hazard Statements

Harmful if inhaled

Causes damage to organs through prolonged or repeated exposure Harmful to aquatic life with long lasting effects



Appearance Clear Physical State Liquid Odor Mild Petroleum

Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area
Do not breathe dust/fume/gas/mist/vapors/spray
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Avoid release to the environment

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None known

Other Information

May be harmful if swallowed. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Unknown acute toxicity 2.34% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
trans-Dichloroethylene	156-60-5	90 - 100%
Mineral spirits	8052-41-3	1 - 5%
Calcium Sulfonate	PROPRIETARY	<1%

The exact percentage (concentration) of composition has been withheld as a trade secret. If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

General advice: Show this safety data sheet to the doctor in attendance. Remove contaminated

clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap

and water. If symptoms persist, call a physician

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin contact: Remove and wash contaminated clothing before re-use. Wash off immediately with

soap and plenty of water.

Ingestion: If swallowed, seek medical advice immediately and show this container or label. Do

not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person

Inhalation: Move to fresh air in case of accidental inhalation of vapors. If not breathing, give

artificial respiration. If breathing is difficult, give oxygen. Consult a physician.

Note to physician: Treat symptomatically.

Medical condition

aggravated by exposure:

None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, CO2, water spray or `alcohol` foam. Do not use water with full jet.

Specific hazards: Do not allow material to contaminate ground water system.

Special protective equipment for

fire-fighters:

As in any fire, wear self-contained breathing apparatus pressure-demand,

MSHA/NIOSH (approved or equivalent) and full protective gear

Explosion data Water mist may be used to cool closed containers

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation. Do not breathe vapour/dust. Use personal protective

equipment. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

Environmental precautions: Avoid subsoil penetration. Do not flush into surface water or sanitary sewer system.

Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Use non-sparking equipment. Wear personal protective equipment.

Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling

Technical

Provide sufficient air exchange and/or exhaust in work rooms.

measures/precautions:
Safe handling advice:

In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe

vapors or spray mist. Wear personal protective equipment. Avoid contact with skin and

eyes. Wash thoroughly after handling.

Storage

Technical measures/storage

conditions:

Store at room temperature in the original container.

Incompatible products: Strong oxidizing agents

Safe storage temperature: 40 - 100 ° F

Shelf life: 36 months

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH Exposure Limits	OSHA TWA (final)	NIOSH - Pocket Guide
trans-Dichloroethylene	200 ppm (TWA)	None known	None known
Mineral spirits	100 ppm (TWA)	500 ppm	350 mg/m³ (TWA)
		2900 mg/m ³	1800 mg/m³ (Ceiling)
Trade reg. no.	5 mg/m ³	5mg/m³	5mg/m ³

Engineering measures: Ensure adequate ventilation

Personal Protective Equipment:

General: Provide easy access to eyewash/safety shower facilities.

Respiratory protection: If engineering controls do not maintain airborne concentrations to a level which is

adequate to protect worker health, respiratory protection may be required. Contact

your site safety representative for proper respirator selection.

Eye protection: Wear safety glasses with side shields (or goggles)

Hand protection: Wear chemical-resistant gloves as appropriate for the risk of exposure. Contact your

safety department for specific recommendations

Skin and body protection: Wear protective clothing and appropriate footwear necessary for the risk of exposure.

Contact your health and safety department for specific recommendations

Hygiene measures: Handle in accordance with sound chemical hygiene practices. Wear the appropriate

PPE. Avoid contact with skin, eyes and clothing. Remove and wash contaminated

clothing before re-use. Do not eat, drink, or smoke while using chemicals.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Appearance Clear

Odor Mild Petroleum

Odor Threshold No information available

pH concentrate:No information available

pH DilutionNo information available

Melting/freezing point

No information available

Boiling Point/Range No information available

Flash Point Does not flash

Method No information available

Evaporation rateNo information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information available

VOC Content Product (lb/gal) No information available

Vapor pressure No information available

Vapor density No information available

Specific Gravity (g/cc, 15 C) No information available

Density @ 25 ° C. (g/cc): 1.24

Water Solubility Insoluble in water

Solubility in other solvents No information available

Partition coefficient: n-octanol/water No information available

Autoignition temperature No information available

Decomposition TemperatureNo information available

Kinematic viscosity

No information available

Dynamic viscosity

No information available

Molecular Weight No information available

10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions.

Conditions to avoid: Heat, flames and sparks.

Materials to avoid: Alkali metals, Alkaline earth metals, Powdered metals, Powdered metal salts, Strong

bases.

Hazardous decomposition products: Carbon oxides. Thermal decomposition of this product will generate gaseous hydrogen

fluoride (HF), which is corrosive and can cause burns and other fluorinated

compounds.

Hazardous Polymerization: No information available.

11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

Information on likely routes of exposure

Inhalation Harmful if inhaled.

Eye Contact Contact with eyes may cause irritation.

Skin Contact Prolonged contact may cause redness and irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
trans-Dichloroethylene	= 1235 mg/kg (Rat)	= 5000 mg/kg (Rabbit)	= 24100 ppm (Rat) 4 h
	Oral LD50 Rat 1235	> 5 g/kg(Rabbit)	Inhalation LC50 Rat
	mg/kg (Source:	Dermal LD50 Rabbit 5000	24100 ppm 4 h (vapor,
	JAPAN_GHS)	mg/kg (Source:	Source: EPA_HPV)
		JAPAN_GHS)	
Mineral spirits	-	-	-
Calcium Sulfonate	-	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a

carcinogen

Chemical Name	IARC Carcinogens	NTP	OSHA -
			Select Carcinogens
trans-Dichloroethylene	Not listed	Not listed	Not listed
Mineral spirits	Not listed	Not listed	Not listed
Calcium Sulfonate	Not listed	Not listed	Not listed

Skin corrosion/irritation Prolonged contact may cause redness and irritation.

Eye damage/irritation Contact with eyes may cause irritation.

Sensitization No information available.

Mutagenic effects: No information available.

Reproductive Toxicity No information available.

Developmental ToxicityNo information available.

Teratogenic No information available.

Specific target organ systemic

toxicity (single exposure)

No information available.

Specific target organ systemic toxicity (repeated exposure)

Causes damage to organs through prolonged or repeated exposure: Central nervous

system (CNS).

Aspiration hazard No information available.

Additional information on toxicological effects

No information available

12. ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects

Chemical Name	Toxicity to Fish	Daphnia Magna (Water	Toxicity to Algae
		Flea)	
trans-Dichloroethylene	135: 96 h Lepomis	No data	No data
	macrochirus mg/L LC50		
	static		
Mineral spirits	No data	No data	No data
Calcium Sulfonate	No data	No data	No data

2.34% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and Degradability No information available.

Bioaccumulation No information available.

Chemical Name	Octanol/water partition coefficient
trans-Dichloroethylene	1.48
Mineral spirits	-
Calcium Sulfonate	

Mobility: No data available

Ozone: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused

products:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging: Do not re-use empty containers

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust) Use non-sparking equipment Wear personal protective equipment

Sweep up and shovel into suitable containers for disposal

Chemical Name trans-Dichloroethylene

156-60-5

RCRA - Hazardous Constituents - Appendix: U079

14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

Proper shipping name: Not regulated

TDG (CANADA):

Proper shipping name: Not regulated

IMDG/IMO:

Proper shipping name: Not regulated

IATA/ICAO:

Proper shipping name: Not regulated

15. REGULATORY INFORMATION

Federal Regulations

CERCLA/SARA Information:

SARA (311, 312) hazard class: See GHS Classification in Section 2 for hazard class information.

Chemical Name	Hazardous Substances and RQs	Extremely Hazardous Substances and TPQs	SARA 313 Emission Reporting
trans-Dichloroethylene	1000 lb	Not listed	Not listed
Mineral spirits	Not listed	Not listed	Not listed
Calcium Sulfonate	Not listed	Not listed	Not listed

Clean Air and Clean Water Acts:

Chemical Name	Hazardous Air	CWA - Hazardous	CWA - Toxic	CWA - Priority
	Pollutants	Substances	Pollutants	Pollutants
trans-Dichloroethylene	Not listed	Not listed	Not listed	Listed
Mineral spirits	Not listed	Not listed	Not listed	Not listed
Calcium Sulfonate	Not listed	Not listed	Not listed	Not listed

U.S. STATE REGULATIONS (RTK):

Chemical Name Ca	alifornia PARTK	MI Critical	NJRTK	MARTK
------------------	-----------------	-------------	-------	-------

	Proposition 65		Materials		
trans-Dichloroethylene	Not Listed	Environmental hazard Present	Not Listed	Not Listed	Present
Mineral spirits	Not Listed	Present	Not Listed	1736	Present
Calcium Sulfonate	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed

California Proposition 65 Status: No components are listed

RCRA Status: Listed material: U079 (trans-Dichloroethylene)

CANADIAN REGULATIONS:

Chemical Name	CEPA Schedule I	Challenge Substances
trans-Dichloroethylene	Not listed	Not listed
Mineral spirits	Not listed	Not listed
Calcium Sulfonate	Not listed	Not listed

INVENTORY STATUS:

United States TSCA Inventory:

This product complies with TSCA

Canada DSL/NDSL Inventory List Compliance has not been determined

16. OTHER INFORMATION

Sources of key data used to compile Material safety data sheets of the ingredients. **the data sheet:**

Prepared by: Safety, Health and Environmental Department

Revision Date: 03/11/2019 **Reason for revision:** New formulation.

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

End of Safety Data Sheet