



SAFETY DATA SHEET

Print date: 08/26/2019

Revision Date: 08/26/2019

Revision Number: 1

1. IDENTIFICATION

Product identifier

Product Name: ULTRASIL 3401B
Product code: 017353-01

Other means of identification

Synonyms No information available

Application

Recommended Use Lubricating Grease
Uses advised against For industrial use only

Supplier/Manufacturer:

Supplier:
ENGINEERED CUSTOM LUBRICANTS (ECL)
3851 Exchange Avenue
Aurora, IL 60504 USA
Phone: (630)449-5000
Email: she@quakerchem.com

Emergency telephone number:

* 24 HOUR TRANSPORTATION:
**CHEMTREC: 1-800-424-9300
+703-527-3887 (Call collect outside of US)
* 24 HOUR EMERGENCY HEALTH & SAFETY:
**(800) 523-7010 (Within US only) Outside of US call (703)
527-3887

2. HAZARDS IDENTIFICATION

GHS Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

Emergency Overview

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Black

Physical State Semi-Solid

Odor Odorless

Hazards not otherwise classified (HNOC)

None known

Other Information

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Weight-% |
|-----------------|------------|----------|
| Ethylene glycol | 107-21-1 | 1 - 5% |
| Talc | 14807-96-6 | <1% |
| Carbon black | 1333-86-4 | <1% |

The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

| | |
|--|--|
| General advice: | Show this safety data sheet to the doctor in attendance. Remove contaminated clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap and water. If symptoms persist, call a physician |
| Eye contact: | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. |
| Skin contact: | Remove and wash contaminated clothing before re-use. Wash off immediately with soap and plenty of water. |
| Ingestion: | If swallowed, seek medical advice immediately and show this container or label. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person |
| Inhalation: | Move to fresh air in case of accidental inhalation of vapors. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician. |
| Note to physician: | Treat symptomatically. |
| Medical condition aggravated by exposure: | None known. |

5. FIRE-FIGHTING MEASURES

| | |
|--|---|
| Suitable extinguishing media: | Use dry chemical, CO ₂ , water spray or `alcohol` foam. Do not use water with full jet. |
| Specific hazards: | Thermal decomposition of this product will generate gaseous hydrogen fluoride (HF), which is corrosive and can cause burns and other fluorinated compounds. |
| Special protective equipment for fire-fighters: | As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear |
| Explosion data | Water mist may be used to cool closed containers |

6. ACCIDENTAL RELEASE MEASURES

| | |
|-----------------------------------|---|
| Personal precautions: | Ensure adequate ventilation. Do not breathe vapour/dust. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. |
| Environmental precautions: | Avoid subsoil penetration. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up: | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal. |

7. HANDLING AND STORAGE

Handling

Technical measures/precautions: Provide sufficient air exchange and/or exhaust in work rooms.

Safe handling advice: In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe vapors or spray mist. Wear personal protective equipment. Avoid contact with skin and eyes. Wash thoroughly after handling.

Storage

Technical measures/storage conditions: Store at room temperature in the original container.

Incompatible products: See Section 10, Materials to avoid

Safe storage temperature: 40 - 100 ° F

Shelf life: 36 months

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Chemical Name | ACGIH Exposure Limits | OSHA TWA (final) | NIOSH - Pocket Guide |
|---------------------|--|-----------------------|--|
| Lithium Stearate | 10 mg/m ³ (TWA) 3 mg/m ³ (TWA) | None known | None known |
| Ethylene glycol | 25 ppm (TWA) 50 ppm (STEL) 10 mg/m ³ (STEL) | None known | None known |
| Talc | 2 mg/m ³ (TWA) | None known | 2 mg/m ³ (TWA) |
| Magnesium carbonate | None known | None known | 10 mg/m ³ (TWA) 5 mg/m ³ (TWA) |
| Carbon black | 3 mg/m ³ (TWA) | 3.5 mg/m ³ | 3.5 mg/m ³ (TWA) 0.1 mg/m ³ (TWA) |

Engineering measures: Ensure adequate ventilation

Personal Protective Equipment:

- General:** Provide easy access to eyewash/safety shower facilities.
- Respiratory protection:** If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, respiratory protection may be required. Contact your site safety representative for proper respirator selection.
- Eye protection:** Wear safety glasses with side shields (or goggles)
- Hand protection:** Wear chemical-resistant gloves as appropriate for the risk of exposure. Contact your safety department for specific recommendations
- Skin and body protection:** Wear protective clothing and appropriate footwear necessary for the risk of exposure. Contact your health and safety department for specific recommendations
- Hygiene measures:** Handle in accordance with sound chemical hygiene practices. Wear the appropriate PPE. Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Do not eat, drink, or smoke while using chemicals.



9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|-----------------------------------|--------------------------|
| Physical State | Semi-Solid |
| Appearance | Black |
| Odor | Odorless |
| Odor Threshold | No information available |
| pH concentrate: | No information available |
| pH Dilution | No information available |
| Melting/freezing point | No information available |
| Boiling Point/Range | No information available |
| Flash Point | > 300 °C / > 572 °F |
| Method | No information available |
| Evaporation rate | No information available |
| Flammability Limits in Air | |
| upper flammability limit | No information available |
| lower flammability limit | No information available |

| | |
|--|--------------------------|
| VOC Content Product (lb/gal) | No information available |
| Vapor pressure | No information available |
| Vapor density | No information available |
| Specific Gravity (g/cc, 15 °C) | 1.02 |
| Bulk Density (lb/gal, 15 C) | 8.51 |
| Water Solubility | Insoluble in water |
| Solubility in other solvents | No information available |
| Partition coefficient: n-octanol/water | No information available |
| Autoignition temperature | No information available |
| Decomposition Temperature | No information available |
| Kinematic viscosity | No information available |
| Dynamic viscosity | No information available |
| Molecular Weight | No information available |

10. STABILITY AND REACTIVITY

| | |
|--|--|
| Stability: | Stable under recommended storage conditions. |
| Conditions to avoid: | None known. |
| Materials to avoid: | Oxidizing agents, Strong acids and strong bases, Powdered metals. |
| Hazardous decomposition products: | Thermal decomposition of this product will generate gaseous hydrogen fluoride (HF), which is corrosive and can cause burns and other fluorinated compounds. Combustion products: Carbon oxides, Formaldehyde, Oxides of silicon, Hydrogen fluoride, Fluorocarbons. |
| Hazardous Polymerization: | No information available. |

11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye Contact Contact with eyes may cause irritation.

Skin Contact Prolonged contact may cause redness and irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------------|--|---|-----------------|
| Ethylene glycol | = 4700 mg/kg (Rat) Oral LD50 Rat 4700 mg/kg (Source: NLM_CIP) | = 10600 mg/kg (Rat) = 9530 µL/kg (Rabbit) Dermal LD50 Rat 10600 mg/kg (Source: JAPAN_GHS) | - |
| Talc | - | - | - |
| Carbon black | > 15400 mg/kg (Rat) Oral LD50 Rat >15400 mg/kg (Source: NLM_CIP) | > 3 g/kg (Rabbit) | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

| Chemical Name | IARC Carcinogens | NTP | OSHA - Select Carcinogens |
|-----------------|---------------------|------------|------------------------------|
| Ethylene glycol | Not listed | Not listed | Not listed |
| Talc | Group 2B Group 3 | Not listed | Present |
| Carbon black | Group 2B | Not listed | Present |

Sensitization No information available.

Mutagenic effects: No information available.

Reproductive Toxicity No information available.

Developmental Toxicity No information available.

Teratogenic No information available.

Specific target organ systemic toxicity (single exposure) No information available.

Specific target organ systemic toxicity (repeated exposure) No information available.

Aspiration hazard Based on viscosity and/or components, not expected to be an aspiration hazard.

Additional information on toxicological effects
No information available

12. ECOLOGICAL INFORMATION

| Chemical Name | Toxicity to Fish | Daphnia Magna (Water Flea) | Toxicity to Algae |
|-----------------|--|--|--|
| Ethylene glycol | 14 - 18: 96 h Oncorhynchus mykiss mL/L LC50 static 40000 - 60000: 96 h Pimephales promelas mg/L LC50 static 16000: 96 h Poecilia reticulata mg/L LC50 static 27540: 96 h Lepomis macrochirus mg/L LC50 static 40761: 96 h Oncorhynchus mykiss mg/L LC50 static 41000: 96 h Oncorhynchus mykiss mg/L LC50 | 46300: 48 h Daphnia magna mg/L EC50 | 6500 - 13000: 96 h Pseudokirchneriella subcapitata mg/L EC50 |
| Talc | 100: 96 h Brachydanio rerio g/L LC50 semi-static | No data | No data |
| Carbon black | No data | 5600: 24 h Daphnia magna mg/L EC50 | No data |

0% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and Degradability No information available.

Bioaccumulation No information available.

| Chemical Name | Octanol/water partition coefficient |
|-----------------|-------------------------------------|
| Ethylene glycol | -1.93 |
| Talc | - |
| Carbon black | - |

Mobility: No data available

Ozone: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products: Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging: Do not re-use empty containers

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust) Sweep up and shovel into suitable containers for disposal

14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

Proper shipping name: Not regulated

TDG (CANADA):

Proper shipping name: Not regulated

IMDG/IMO:

Proper shipping name: Not regulated

IATA/ICAO:

Proper shipping name: Not regulated

15. REGULATORY INFORMATION**Federal Regulations****CERCLA/SARA Information:****SARA (311, 312) hazard class:** See GHS Classification in Section 2 for hazard class information.

| Chemical Name | Hazardous Substances and RQs | Extremely Hazardous Substances and TPQs | SARA 313 Emission Reporting |
|-----------------|------------------------------|---|-----------------------------|
| Ethylene glycol | 5000 lb | Not listed | 1.0 % |
| Talc | Not listed | Not listed | Not listed |
| Carbon black | Not listed | Not listed | Not listed |

Clean Air and Clean Water Acts:

| Chemical Name | Hazardous Air Pollutants | CWA - Hazardous Substances | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|-----------------|--------------------------|----------------------------|------------------------|---------------------------|
| Ethylene glycol | Present | Not listed | Not listed | Not listed |
| Talc | Not listed | Not listed | Not listed | Not listed |
| Carbon black | Not listed | Not listed | Not listed | Not listed |

U.S. STATE REGULATIONS (RTK):

| Chemical Name | California Proposition 65 | PARTK | MI Critical Materials | NJRTK | MARTK |
|-----------------|---------------------------|----------------------|-----------------------|--------------|---------|
| Ethylene glycol | developmental toxicity | Environmental hazard | Not Listed | 0878 | Present |
| Talc | Not Listed | Present | Not Listed | 1773 4203 | Present |
| Carbon black | carcinogen | Present | Not Listed | 0342 | Present |

CANADIAN REGULATIONS:

| Chemical Name | CEPA Schedule I | Challenge Substances |
|-----------------|-----------------|----------------------|
| Ethylene glycol | Not listed | Not listed |
| Talc | Not listed | Not listed |
| Carbon black | Not listed | Listed |

INVENTORY STATUS:

United States TSCA Inventory: This product complies with TSCA
Canada DSL/NDSL Inventory List Compliance has not been determined

16. OTHER INFORMATION

Sources of key data used to compile Material safety data sheets of the ingredients.
the data sheet:

Prepared by: Safety, Health and Environmental Department

Revision Date: 08/26/2019

Reason for revision: New formulation.

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the product. The company referenced in this Safety Data Sheet assumes no liability for any injury or damage, direct or consequential, resulting from the use of this product unless such injury or damage is attributable to the gross negligence of such company.

End of Safety Data Sheet

| Chemical Name | Weight-% | U.S. DOT - Appendix A Table 1 - Reportable Quantities | U.S. DOT - Appendix B - Marine Pollutants (10%) | U.S. DOT - Appendix B - Severe Marine Pollutants (1%) | Japan - Specified Chemical Substances |
|-----------------------------|----------|---|---|---|---------------------------------------|
| Ethylene glycol 107-21-1 | 1 - 5% | 5000 lbs RQ 2270 kg RQ | | | |